



ASTI-FM 03-10
REV 3/13 January 2020

**DOST-ASTI Bids and Awards Committee
REQUEST FOR QUOTATION**

Kind of Procurement Activity:	Negotiated Procurement: Small-value Procurement		
Deadline of Submission of Bids:	Nov-08-2021, 2:00 PM		
RFQ No.:	21-11-3642	Date:	November-03-2021
PR No.:	GAA-21-10-12450	Date:	October-13-2021

The Department of Science and Technology (DOST) - Advanced Science and Technology Institute (ASTI), through its Bids and Awards Committee (BAC), intends to procure the item/s listed below. As such, suppliers, contractors, or distributors are invited to submit their quotation/s duly signed by authorized representative. Prospective bidder/s who will submit a proposal with the single/lowest calculated and responsive quotation shall be selected. Guidelines on the format and eligibility documents are listed at the box below the item/s to be procured.

Quotations may be sent via **a)** electronic mail at bac-sec@asti.dost.gov.ph, **b)** fax message, or **c)** delivering documents to the BAC Secretariat. For further inquiries, you may contact +63 2 249-8500 local 1206/1212 or +63 2 426-7423.

Thank you.

Respectfully,

GERWIN P. GUBA
BAC Chairman

NO.	TECHNICAL SPECIFICATIONS	QTY	UNIT	UNIT PRICE(Php)	TOTAL PRICE(Php)
1	<p>ADC Module for VSWR monitoring</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. The Advanced Science and Technology Institute (ASTI) is seeking qualified and competent bidders for the ADC Module for VSWR monitoring as part of RuralSync prototyping activities.</p> <p>1.2. The approved budget for the contract is inclusive of all applicable government taxes and services charges.</p> <p>1.3. The technical specifications written herein are of minimum requirement, otherwise stated.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. The supplier must abide and meet the following specifications of the equipment/components:</p> <p>2.1.1. Supply Voltage (VCC): 3.3-5.0V</p> <p>2.1.2. Analog Channels: 4</p> <p>2.1.3. Analog Signal Detection Range: 0-VCC</p> <p>2.1.4. Resolution: 16-bit</p> <p>2.1.5. Communication: I2C</p> <p>2.1.6. Interface Level: 3.3V High, 0V Low</p> <p>3. WARRANTY</p>	4	unit	660.00	2,640.00

	<p>3.1. At least one (1) year limited warranty for parts and services.</p> <p>3.2. Warranties shall not apply to any defect which arises from improper use, failure to follow the product instructions, or any repair or modification made without the consent of the supplier.</p> <p>4. PAYMENT AND DELIVERY TERMS</p> <p>4.1. Upon issuance of Notice to Proceed (NTP), the parts must be delivered on or before December 29, 2021.</p> <p>4.2. The price of the bid must be inclusive of government taxes and other fees.</p> <p>4.3. Payment upon full delivery.</p> <p>4.4. Certificate/Document must be submitted upon the request of the BAC Secretariat in aid of evaluation of quotations.</p>				
2	<p>Hot Air and Soldering Rework Station for PCB Boards</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. The Advanced Science and Technology Institute (ASTI) is seeking qualified and competent bidders for the Hot Air and Soldering Rework Station for PCB Boards as part of RuralSync prototyping activities.</p> <p>1.2. The approved budget for the contract is inclusive of all applicable government taxes and services charges.</p> <p>1.3. The technical specifications written herein are of minimum requirement, otherwise stated.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. The supplier must abide and meet the following specifications of the equipment/components:</p> <p> 2.1.1. Hot Air Temperature range: 100-480 degC</p> <p> 2.1.2. Hot air gun type: brushless fan</p> <p> 2.1.3. air flow: 120L/min</p> <p> 2.1.4. Soldering iron temp range: 200-480 degC</p> <p> 2.1.5. Power consumption (hot air): 720W</p> <p> 2.1.6. Power consumption (iron): 60W"</p> <p>3. WARRANTY</p> <p>3.1. At least one (1) year limited warranty for parts and services.</p> <p>3.2. Warranties shall not apply to any defect which arises from improper use, failure to follow the product instructions, or any repair or modification made without the consent of the supplier.</p> <p>4. PAYMENT AND DELIVERY TERMS</p> <p>4.1. Upon issuance of Notice to Proceed (NTP), the parts must be delivered on or before December 29, 2021.</p> <p>4.2. The price of the bid must be inclusive of government taxes</p>	1	unit	5225.00	5,225.00

	<p>and other fees.</p> <p>4.3. Payment upon full delivery.</p> <p>4.4. Certificate/Document must be submitted upon the request of the BAC Secretariat in aid of evaluation of quotations.</p>				
3	<p>Microcontrollers and Electronic Components</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. The Advanced Science and Technology Institute (ASTI) is seeking qualified and competent bidders for the, Supply and Delivery of one (1) lot of Microcontrollers and electronic components.</p> <p>1.2. The approved budget for the contract is inclusive of all applicable government taxes and services charges.</p> <p>1.3. The technical specifications written herein are of minimum requirement, otherwise stated.</p> <p>1.4. The procurement of these parts will be used as part of the RuralSync prototyping activities.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1 The supplier must abide and meet the following equipment & components along with its specifications:</p> <p>2.1.1. Microcontroller</p> <p>2.1.1.1. Operating Voltage: 5V</p> <p>2.1.1.2. VIN min-MAX: -21V</p> <p>2.1.1.3. DC Current per I/O Pin: 20 mA</p> <p>2.1.1.4 DC Current for 3.3V Pin: 50 mA</p> <p>2.1.1.5. Clock Speed: 20MHz</p> <p>2.1.1.6. CPU Flash Memory: 48KB</p> <p>2.1.1.7. SRAM: 6KB</p> <p>2.1.1.8. EEPROM: 256byte</p> <p>2.1.1.9. PWM Pins: 5</p> <p>2.1.1.10. UART: 1</p> <p>2.1.1.11. SPI: 1</p> <p>2.1.1.12. I2C: 1</p> <p>2.1.1.13. Analog Input Pins: 8 (ADC 10 bit)</p> <p>2.1.1.14. Analog Output Pins: Only through PWM (no DAC)</p> <p>2.1.1.15. External Interrupts: all digital pins</p> <p>2.1.1.16. LED_BUILTIN: pin 13</p> <p>2.1.1.17. USB: ATSAM11D14A</p> <p>2.1.1.18. Length: 45 mm</p> <p>2.1.1.19. Width: 18 mm</p> <p>2.1.1.20. Weight: 5 gr (with headers)</p> <p>2.1.1.21. type: Module (3 boards)</p> <p>2.1.1.22. Quantity: One (1) pc</p> <p>2.1.2. High Power Yagi Antenna</p> <p>2.1.2.1. Transmitter High Power Yagi Antenna (pack of 2)</p> <p>2.1.2.2. Frequency: 470-698MHz</p> <p>2.1.2.3. Gain: 9.0dBi</p> <p>2.1.2.4. Impedance: 50 Ohms</p>	1	lot	100012.00	100,012.00

2.1.2.5. Polarization: Dual Polarization
 2.1.2.6. Max power : 100 W (50W on each port)
 2.1.2.7. Port Isolation: 30dB
 2.1.2.8. VSWR: 1.5
 2.1.2.9. Horizontal beam-width: 75°
 2.1.2.10. Vertical beam-width: 65°
 2.1.2.11. Front-to-back ratio: ≥15 dB
 2.1.2.12. Connector: 2x N-type on pigtailed
 2.1.2.13. Contents: 2 antennas per pack"
 2.1.2.14. Quantity: One (1) pc
 2.1.3. N-Type to SMA Adaptor (Male to SMA Female)
 2.1.3.1. "N-type to SMA Adaptor
 2.1.3.2. Gender: N-type Male to SMA Female
 2.1.3.3. Impedance: 50 Ohms
 2.1.3.4. Insertion Loss: < 0.5dB
 2.1.3.5. Power Rating: at least 100W"
 2.1.3.6. Quantity: Six (6) pcs
 2.1.4. N-Type to SMA Adaptor (Female to SMA Female)
 2.1.4.1. "N-type to SMA Adaptor
 2.1.4.2. Gender: N-type Female to SMA Female
 2.1.4.3. Impedance: 50 Ohms
 2.1.4.4. Insertion Loss: < 0.5dB
 2.1.4.5. Power Rating: at least 100W"
 2.1.4.6. Quantity: Seven (7) pcs
 2.1.5. N-Type to SMA Adaptor (Male to SMA Female)
 2.1.5.1. N-type to SMA Adaptor
 2.1.5.2. Gender: N-type Male to SMA Female
 2.1.5.3. Impedance: 50 Ohms
 2.1.5.4. Insertion Loss: < 0.5dB
 2.1.5.5. Power Rating: at least 100W
 2.1.5.6. Quantity: Seven (7) pcs
 2.1.6. Open Caster enabled ISDB-T Modulator (Tx) and ARIB
 2.1.6.1. Supports EN 300 744 DVB-T STD- B31 ISDB-T/ABNT NBR 15601 ISDB-Tb transmission
 2.1.6.2. Frequency range: 100 -2500 MHz
 2.1.6.3. Support 2, 3,4 ,6 ,7 ,8 MHz bandwidth
 2.1.6.4. Supported ISDB-T Layer mode: 1-layer (13-seg), 2-layer (12 and 1 seg)
 2.1.6.5. Programmable digital attenuator: at least 1dB step size
 2.1.6.6. With Windows and Linux SDK
 2.1.6.7. FFT: 2K, 4K, 8K
 2.1.6.8. Constellation: 64 QAM, 16 QAM, QPSK

	<p>2.1.6.9. Code rate: 1/2, 2/3, 3/4, 5/6, 7/8</p> <p>2.1.6.10. Guard interval: 1/4, 1/8, 1/16 or 1/32</p> <p>2.1.6.11. Phase noise: less than -92dBc</p> <p>@ 10kHz</p> <p>2.1.6.12. Carrier Suppression: greater than 42dB</p> <p>2.1.6.13. Quantity: Two (2) pcs</p> <p>2.1.7. MCX to F-Female Adaptor</p> <p>2.1.7.1. Orientation: Straight Connector</p> <p>2.1.7.2. First Connector: F-Female Connector</p> <p>2.1.7.3. Second Connector: MCX-Male</p> <p>2.1.7.4. Quantity: Six (6) pcs</p> <p>2.1.8. Coaxial Matching pad for ISDB-T Tx</p> <p>2.1.8.1. Coaxial Matching Pad</p> <p>2.1.8.2. 50 Ohms to 75 Ohms</p> <p>2.1.8.3. SMA-female to F-Male</p> <p>2.1.8.4. DC - 3000 MHz</p> <p>2.1.8.5. 0.5W or higher</p> <p>2.1.8.6. Quantity: Three (3) pcs</p> <p>3. WARRANTY</p> <p>3.1. At least one (1) year limited warranty for parts and services.</p> <p>3.2. Warranties shall not apply to any defect which arises from improper use, failure to follow the product instructions, or any repair or modification made without the consent of the supplier.</p> <p>4. PAYMENT AND DELIVERY TERMS</p> <p>4.1. Upon issuance of Notice to Proceed (NTP), the parts must be delivered on or before December 29, 2021.</p> <p>4.2. The price of the bid must be inclusive of government taxes and other fees.</p> <p>4.3. Payment upon full delivery.</p> <p>4.4. Certificate/Document must be submitted upon the request of the BAC Secretariat in aid of evaluation of quotations.</p>				
4	<p>Desktop Digital Microscope</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. The Advanced Science and Technology Institute (ASTI) is seeking qualified and competent bidders for the Desktop Digital Microscope as part of RuralSync prototyping activities.</p> <p>1.1.1. The supplier must provide a digital microscope kit with aluminum alloy stand.</p> <p>1.2. The approved budget for the contract is inclusive of all applicable government taxes and services charges.</p> <p>1.3. The technical specifications written herein are of</p>	1	unit	9735.00	9,735.00

	<p>minimum requirement, otherwise stated.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. The supplier must abide and meet the following specifications of the equipment/components:</p> <p>2.1.1. Pixel: HD3.6MP CCD</p> <p>2.1.2. Display: 4.3 inches HD LCD display</p> <p>2.1.3. Magnification: 1-600X magnification system</p> <p>2.1.4. Object distance: 15mm to infinity</p> <p>2.1.5. Resolution: 1080P, 720P, VGA</p> <p>2.1.6. Cyclic Record: off / 3 minutes / 5 minutes / 10 minutes (If the memory card is full, it will delete the first video and save the new video automatically.)</p> <p>2.1.7. Light Source's Frequency: 50HZ, 60HZ</p> <p>3. WARRANTY</p> <p>3.1. At least one (1) year limited warranty for parts and services.</p> <p>3.2. Warranties shall not apply to any defect which arises from improper use, failure to follow the product instructions, or any repair or modification made without the consent of the supplier.</p> <p>4. PAYMENT AND DELIVERY TERMS</p> <p>4.1. Upon issuance of Notice to Proceed (NTP), the parts must be delivered on or before December 29, 2021.</p> <p>4.2. The price of the bid must be inclusive of government taxes and other fees.</p> <p>4.3. Payment upon full delivery.</p> <p>4.4. Certificate/Document must be submitted upon the request of the BAC Secretariat in aid of evaluation of quotations.</p>				
5	<p>DC 0-60V 5A Laboratory Power Supply</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. The Advanced Science and Technology Institute (ASTI) is seeking qualified and competent bidders for the DC 0-60V 5A Laboratory Power Supply as part of RuralSync prototyping activities.</p> <p>1.2. The approved budget for the contract is inclusive of all applicable government taxes and services charges.</p> <p>1.3. The technical specifications written herein are of minimum requirement, otherwise stated.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. The supplier must abide and meet the following specifications of the equipment/components:</p> <p>2.1.1. Clear digital LED displays</p> <p>2.1.2. Operation in voltage (CV) or current (CC) stabilization</p>	1	unit	7700.00	7,700.00

	<p>mode</p> <p>2.1.3. One main and 2 auxiliary outputs</p> <p>2.1.4. Built-in fan</p> <p>2.1.5. Thermal fan switch</p> <p>2.1.6. Ability to work with a current limitation of 990mA</p> <p>(indications with an accuracy of 1mA) and 5A (indications with an accuracy of 10mA)</p> <p>2.1.7. Supply voltage: 220V AC ± 10%, 50 / 60Hz</p> <p>2.1.8. Working environment: -10 ÷ 40 ° C, RH <90%</p> <p>2.1.9. Storage environment: -10 ÷ 40 ° C, RH <80%</p> <p>2.1.10. Power: 470W</p> <p>3. WARRANTY</p> <p>3.1. At least one (1) year limited warranty for parts and services.</p> <p>3.2. Warranties shall not apply to any defect which arises from improper use, failure to follow the product instructions, or any repair or modification made without the consent of the supplier.</p> <p>4. PAYMENT AND DELIVERY TERMS</p> <p>4.1. Upon issuance of Notice to Proceed (NTP), the parts must be delivered on or before December 29, 2021.</p> <p>4.2. The price of the bid must be inclusive of government taxes and other fees.</p> <p>4.3. Payment upon full delivery.</p> <p>4.4. Certificate/Document must be submitted upon the request of the BAC Secretariat in aid of evaluation of quotations.</p>				
6	<p>Outdoor extension cords</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. The Advanced Science and Technology Institute (ASTI) is seeking qualified and competent bidders for the Outdoor extension cords as part of RuralSync prototyping activities.</p> <p>1.2. The approved budget for the contract is inclusive of all applicable government taxes and services charges.</p> <p>1.3. The technical specifications written herein are of minimum requirement, otherwise stated.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. The supplier must abide and meet the following specifications of the equipment/components:</p> <p>2.1.1. Size: 25 ft</p> <p>2.1.2. Wattage 1625 watts</p> <p>2.1.3. Plug Format Type B</p> <p>2.1.4. Voltage: 125 Volts</p> <p>2.1.5. Input Current: 13 Amps</p>	3	unit	2365.00	7,095.00

	<p>3. WARRANTY</p> <p>3.1. At least one (1) year limited warranty for parts and services.</p> <p>3.2. Warranties shall not apply to any defect which arises from improper use, failure to follow the product instructions, or any repair or modification made without the consent of the supplier.</p> <p>4. PAYMENT AND DELIVERY TERMS</p> <p>4.1. Upon issuance of Notice to Proceed (NTP), the parts must be delivered on or before December 29, 2021.</p> <p>4.2. The price of the bid must be inclusive of government taxes and other fees.</p> <p>4.3. Payment upon full delivery.</p> <p>4.4. Certificate/Document must be submitted upon the request of the BAC Secretariat in aid of evaluation of quotations.</p>				
7	<p>Nylon PCB Standoffs and Spacers</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. The Advanced Science and Technology Institute (ASTI) is seeking qualified and competent bidders for the Nylon PCB Standoffs and Spacers as part of RuralSync prototyping activities.</p> <p>1.2. The approved budget for the contract is inclusive of all applicable government taxes and services charges.</p> <p>1.3. The technical specifications written herein are of minimum requirement, otherwise stated.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. The supplier must abide and meet the following specifications of the equipment/components:</p> <p> 2.1.1. Standoffs:</p> <p> 2.1.1.1. Material : Nylon</p> <p> 2.1.1.2. Color: Black</p> <p> 2.1.1.3. Package size : 12.9 x 6.7 x 2cm</p> <p> 2.1.2. Spacers:</p> <p> 2.1.1.1. Nylon Package size : 12.9 x 6.7 x 2cm</p> <p> 2.1.1.2. Size : A : 5.7 ±0.2mm / 0.224"</p> <p> B : 6 ±0.3mm / 0.236"</p> <p> L : 6 - 20mm / 0.236" - 0.787"</p> <p> 2.1.1.3. Screw thread : M3/(3mm), thread pitch: 0.5mm</p> <p>3. WARRANTY</p> <p>3.1. At least one (1) year limited warranty for parts and services.</p> <p>3.2. Warranties shall not apply to any defect which arises from improper use, failure to follow the product instructions, or any repair or modification made without the consent of the supplier.</p>	2	pc	358.00	716.00

	<p>4. PAYMENT AND DELIVERY TERMS</p> <p>4.1. Upon issuance of Notice to Proceed (NTP), the parts must be delivered on or before December 29, 2021.</p> <p>4.2. The price of the bid must be inclusive of government taxes and other fees.</p> <p>4.3. Payment upon full delivery.</p> <p>4.4. Certificate/Document must be submitted upon the request of the BAC Secretariat in aid of evaluation of quotations.</p>				
8	<p>ESD High Temperature Mat</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. The Advanced Science and Technology Institute (ASTI) is seeking qualified and competent bidders for the ESD High Temperature Mat as part of RuralSync prototyping activities.</p> <p>1.2. The approved budget for the contract is inclusive of all applicable government taxes and services charges.</p> <p>1.3. The technical specifications written herein are of minimum requirement, otherwise stated.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. The supplier must abide and meet the following specifications of the equipment/components:</p> <p> 2.1.1. Height: 0.08 inches</p> <p> 2.1.2. Included Components: Mat^Wrist Strap^Ground Cord</p> <p> 2.1.3. Item Thickness: 0.08 inches</p> <p> 2.1.4. Length: 30.0 inches</p> <p>3. WARRANTY</p> <p>3.1. At least one (1) year limited warranty for parts and services.</p> <p>3.2. Warranties shall not apply to any defect which arises from improper use, failure to follow the product instructions, or any repair or modification made without the consent of the supplier.</p> <p>4. PAYMENT AND DELIVERY TERMS</p> <p>4.1. Upon issuance of Notice to Proceed (NTP), the unit must be delivered on or before December 29, 2021.</p> <p>4.2. The price of the bid must be inclusive of government taxes and other fees.</p> <p>4.3. Payment upon full delivery.</p> <p>4.4. Certificate/Document must be submitted upon the request of the BAC Secretariat in aid of evaluation of quotations.</p>	1	pc	5445.00	5,445.00
9	<p>Heat Resistant Silicon Insulation Mat</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. The Advanced Science and Technology Institute (ASTI) is</p>	1	pc	688.00	688.00

	<p>seeking qualified and competent bidders for the Heat Resistant Silicon Insulation Mat as part of RuralSync prototyping activities.</p> <p>1.2. The approved budget for the contract is inclusive of all applicable government taxes and services charges.</p> <p>1.3. The technical specifications written herein are of minimum requirement, otherwise stated.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. The supplier must abide and meet the following specifications of the equipment/components:</p> <p> 2.1.1. Item Weight: 1.83 pounds</p> <p> 2.1.2. Package Dimensions: 15.28 x 4.53 x 4.45 inches</p> <p> 2.1.3. Size 21.6 x 13.8 inch</p> <p> 2.1.4. No batteries Required</p> <p>3. WARRANTY</p> <p>3.1. At least one (1) year limited warranty for parts and services.</p> <p>3.2. Warranties shall not apply to any defect which arises from improper use, failure to follow the product instructions, or any repair or modification made without the consent of the supplier.</p> <p>4. PAYMENT AND DELIVERY TERMS</p> <p>4.1. Upon issuance of Notice to Proceed (NTP), the unit must be delivered on or before December 29, 2021.</p> <p>4.2. The price of the bid must be inclusive of government taxes and other fees.</p> <p>4.3. Payment upon full delivery.</p> <p>4.4. Certificate/Document must be submitted upon the request of the BAC Secretariat in aid of evaluation of quotations.</p>				
10	<p>Double sided Poster Display Stand</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. The Advanced Science and Technology Institute (ASTI) is seeking qualified and competent bidders for the Double sided Poster Display Stand as part of RuralSync prototyping activities.</p> <p>1.2. The approved budget for the contract is inclusive of all applicable government taxes and services charges.</p> <p>1.3. The technical specifications written herein are of minimum requirement, otherwise stated.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. The supplier must abide and meet the following specifications of the equipment/components:</p> <p> 2.1.1. 2 posters can be displayed at the same time.</p> <p> 2.1.2. Can hold boards up to 0.4 inches thick</p>	2	unit	1738.00	3,476.00

	<p>2.1.3. Adjustable Height 2.1.4. Fits posters up to 75 inches height 2.1.5. Heavy Duty 2.1.6. With heavy non-slip metal base w/ foam measuring 9.8x12inches</p> <p>3. WARRANTY 3.1. At least one (1) year limited warranty for parts and services. 3.2. Warranties shall not apply to any defect which arises from improper use, failure to follow the product instructions, or any repair or modification made without the consent of the supplier.</p> <p>4. PAYMENT AND DELIVERY TERMS 4.1. Upon issuance of Notice to Proceed (NTP), the unit must be delivered on or before December 29, 2021. 4.2. The price of the bid must be inclusive of government taxes and other fees. 4.3. Payment upon full delivery. 4.4. Certificate/Document must be submitted upon the request of the BAC Secretariat in aid of evaluation of quotations.</p>				
11	<p>Keyboard for ThinkPad T470P 1. GENERAL OVERVIEW 1.1. The Advanced Science and Technology Institute (ASTI) is seeking qualified and competent bidders for the Keyboard for ThinkPad T470P as part of RuralSync prototyping activities. 1.1.1. The unit must be compatible for ThinkPad T470P 1.2. The approved budget for the contract is inclusive of all applicable government taxes and services charges. 1.3. The technical specifications written herein are of minimum requirement, otherwise stated.</p> <p>2. TECHNICAL SPECIFICATIONS 2.1. The supplier must abide and meet the following specifications of the equipment/components: 2.1.1. Fit Laptop Models: T460P and T470P Series 2.1.2. Layout: USEA 2.1.3. Backlit: Yes</p> <p>3. WARRANTY 3.1. At least one (1) year limited warranty for parts and services. 3.2. Warranties shall not apply to any defect which arises from improper use, failure to follow the product instructions, or any repair or modification made without the consent of the supplier.</p>	1	unit	6050.00	6,050.00

4. PAYMENT AND DELIVERY TERMS
 4.1. Upon issuance of Notice to Proceed (NTP), the unit must be delivered on or before December 29, 2021.
 4.2. The price of the bid must be inclusive of government taxes and other fees.
 4.3. Payment upon full delivery.
 4.4. Certificate/Document must be submitted upon the request of the BAC Secretariat in aid of evaluation of quotations.

TOTAL APPROVED BUDGET FOR THE CONTRACT:

Php 148,782.00

GUIDELINES

A. Submission of Quotations

1. Quotation/s shall include the Request for Quotation and/or the Purchase Request Number as state above;
2. Pictures or brand/model names or numbers, if applicable, should be specified in the quotation/s; and
3. Quotation/s must be signed by the company's duly authorized representative.

B. Eligibility Requirements

Pursuant to Annex "H" or Consolidated Guidelines for the Alternative Methods of Procurement of the 2016 Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184, as amended by Government Procurement Policy Board Resolution No. 21-2017 dated 30 May 2017, the following documents shall be submitted except for Repeat Order, Shopping under Section 52.1(a), and Negotiated Procurement under Sections 53.1 (Two-Failed Biddings), and 53.5 (Agency-to-Agency):

For Procurement of Goods

1. Upon submission of quotation
 - ✓ PhilGEPS Platinum Membership Certificate including Annex "A". If not available, the following alternate documents may be submitted:
 - PhilGEPS Registration Number
 - Mayor's Permit
 - For individuals/professionals engaged under Section 53.6, 53.7 and 53.9 of the 2016 IRR of RA No. 9184, only the Bureau of Internal Revenue (BIR) Certificate of Registration shall be submitted in lieu of the Mayor's Permit.
2. Upon issuance of Notice of Award (NOA)
 - ✓ Omnibus Sworn Statement
 - Applicable only for bidders who have submitted their quotation on item/s with a total Approved Budget for the Contract (ABC) of above Php50,000.00.
 - ✓ Income/Business Tax Return
 - Applicable only for: **a)** bidders who have submitted their quotation on item/s with a total ABC of above Php500,000.00; and **b)** bidders for Lease of Real Property and Venue (except for government agencies as lessors).

For Procurement of Infrastructure

1. The requirements for Goods with the same submission indicated therein; and
2. Valid Philippine Contractors Accreditation Board License.

For Procurement of Consulting Services

1. The requirements for Goods with the same submission indicated therein; and
2. Valid Professional Regulation Commission License or Curriculum Vitae.

NOTE: For new suppliers, submit a BIR Certificate of Registration for accounting purposes.

C. Terms and Conditions

1. Additional requirements, if necessary, may be requested by the BAC depending on the item to be bid;
2. For all kinds of procurement, the bidder who passed the bid evaluation, shall submit a duly notarized Omnibus Sworn Statement upon issuance of NOA, unless otherwise provided;
3. All transactions are subject to creditable withholding tax and final Value Added Tax or percentage tax per revenue regulation/s of the BIR;
4. A penalty of one-tenth of one percent (0.001) of the total value of the undelivered goods/services shall be charged as liquidated damages for every day of delay of the delivery; and
5. The DOST-ASTI reserves the right to accept or reject any proposal, to annul the bidding process, and to reject all proposals at any time prior to contract award, without thereby incurring any liability to the affected proponent or proponents.