



29 March 2021

ASTI - BIDS AND AWARDS COMMITTEE

SUPPLEMENTAL BULLETIN NO. BAC-2021-03-008

SUPPLY AND DELIVERY OF ONE (1) LOT VERY HIGH-RESOLUTION SATELLITE IMAGES

The ASTI Bids and Awards Committee (BAC) issues this Supplemental/Bid Bulletin to clarify, modify or amend items in the Bidding Documents and to reply to queries raised by the potential bidders through letters/emails for the information of all bidders for the procurement of:

Item: **Supply and Delivery of One (1) Lot Very High-Resolution Satellite Images**
 Approved Budget for the Contract: **Eighteen Million Eight Hundred Fourteen Thousand Pesos Only (₱18,814,000.00)**
 Invitation to Bid No.: **21-03-3357 dated 15 March 2021**
 Purchase Request No.: **GAA-20-11-10595 dated 23 November 2020**
 Published Date (PhilGEPS): **16 March 2021 | 7547611**

A. AMENDMENT TO PROCUREMENT DETAILS AND FORMS

REFERENCE	AMENDMENT/CHANGE/CLARIFICATION	
Section I. Invitation to Bid, Page 8-9	FROM:	TO:
	2. The DOST-ASTI now invites bids for the above Procurement Project. Delivery of the Goods is required pursuant to Section VI. Schedule of Requirements . Bidders should have completed, within 05 April 2018 to 04 April 2021 from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).	2. The DOST-ASTI now invites bids for the above Procurement Project. Delivery of the Goods is required pursuant to Section VI. Schedule of Requirements . Bidders should have completed, within 05 07 April 2018 to 04 06 April 2021 from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before 05 April 2021, 9:30 AM . Late bids shall not be accepted. As there are limited access to government offices, as well as restrictions on transport and travel are implemented due to the Coronavirus Disease 2019 pandemic in the country, the payment of applicable fee for the Bidding Documents shall be made on the same day of submission, from 7:00 AM to 9:30 AM only .	7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before 05 07 April 2021, 9:30 AM . Late bids shall not be accepted. As there are limited access to government offices, as well as restrictions on transport and travel are implemented due to the Coronavirus Disease 2019 pandemic in the country, the payment of applicable fee for the Bidding Documents shall be made on the same day of submission, from 7:00 AM to 9:30 AM only .	

Postal Address : ASTI Bldg., U.P. Technology Park Complex,
CP Garcia Ave., Diliman, Quezon City 1101
 Website : www.asti.dost.gov.ph
 Email : info@asti.dost.gov.ph

Tel No. : +632 8249-8500
 +632 8426-9755;
 Fax No. : +632 8426-9764

	<p>9. Bid opening shall be on 05 April 2021, 10:00 AM at the given address below and/or via video conferencing or webcasting via Microsoft Teams [http://bit.ly/2Oxyc9p]. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.</p>	<p>9. Bid opening shall be on 05 07 April 2021, 10:00 AM at the given address below and/or via video conferencing or webcasting via Microsoft Teams [http://bit.ly/3rWMeA7]. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.</p>																																																																											
<p>Section II. Instructions to Bidders, Page 13</p>	<p>FROM: 10.2.The Bidders' SLCC as indicated in ITB Clause 5.3 should have been completed within 05 April 2018 to 04 April 2021, prior to the deadline for the submission and receipt of bids.</p>	<p>TO: 10.2.The Bidders' SLCC as indicated in ITB Clause 5.3 should have been completed within 05 07 April 2018 to 04 06 April 2021, prior to the deadline for the submission and receipt of bids.</p>																																																																											
<p>Section VII. Technical Specifications, Page 27-28</p>	<p>FROM:</p> <table border="1" data-bbox="516 924 1451 2212"> <thead> <tr> <th>Item</th> <th>Specification</th> <th>Statement of Compliance</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Very High-Resolution Satellite Images</td> <td></td> </tr> <tr> <td></td> <td>I. Satellite Access</td> <td></td> </tr> <tr> <td></td> <td>*Supplier must provide access to download images from the following satellites, as needed:</td> <td></td> </tr> <tr> <td></td> <td>Satellite 1:</td> <td></td> </tr> <tr> <td></td> <td>- Sensor Band: Panchromatic</td> <td></td> </tr> <tr> <td></td> <td>- Sensor Resolution: At least 0.5m Ground Sample Distance (GSD) at nadir</td> <td></td> </tr> <tr> <td></td> <td>- Swath Width: At least 15km at nadir</td> <td></td> </tr> <tr> <td></td> <td>Satellite 2:</td> <td></td> </tr> <tr> <td></td> <td>- Sensor Band: Panchromatic; At least 8 Multispectral</td> <td></td> </tr> <tr> <td></td> <td>- Sensor Resolution: Panchromatic: at least 0.5m GSD at nadir, Multispectral: At least 2m GSD at nadir</td> <td></td> </tr> <tr> <td></td> <td>- Swath Width: At least 15km at nadir</td> <td></td> </tr> <tr> <td></td> <td>Satellite 3</td> <td></td> </tr> <tr> <td></td> <td>- Sensor Band: Panchromatic; At least 8 Multispectral; with SWIR</td> <td></td> </tr> <tr> <td></td> <td>- Sensor Resolution: Panchromatic: At least 0.3m GSD at nadir, Multispectral: At least 2m GSD at nadir,</td> <td></td> </tr> <tr> <td></td> <td>- SWIR: At least 4m GSD at nadir</td> <td></td> </tr> <tr> <td></td> <td>- Swath Width: At least 13km at nadir</td> <td></td> </tr> <tr> <td></td> <td>Satellite 4</td> <td></td> </tr> <tr> <td></td> <td>- Sensor Band: Panchromatic; At least 4 Multispectral (Blue, Green, Red, NIR)</td> <td></td> </tr> <tr> <td></td> <td>- Sensor Resolution: Panchromatic: At least 0.5m GSD at nadir, Multispectral: At least 2m GSD at nadir</td> <td></td> </tr> <tr> <td></td> <td>- Swath Width: At least 15km at nadir</td> <td></td> </tr> <tr> <td></td> <td>Satellite 5</td> <td></td> </tr> <tr> <td></td> <td>- Sensor Band: Panchromatic; At least 4 Multispectral (Blue, Green, Red, NIR)</td> <td></td> </tr> <tr> <td></td> <td>- Sensor Resolution: Panchromatic: At least 0.3m GSD at nadir, Multispectral: At least 2m GSD at nadir</td> <td></td> </tr> <tr> <td></td> <td>- Swath Width: At least 13km at nadir</td> <td></td> </tr> </tbody> </table>		Item	Specification	Statement of Compliance	1	Very High-Resolution Satellite Images			I. Satellite Access			*Supplier must provide access to download images from the following satellites, as needed:			Satellite 1:			- Sensor Band: Panchromatic			- Sensor Resolution: At least 0.5m Ground Sample Distance (GSD) at nadir			- Swath Width: At least 15km at nadir			Satellite 2:			- Sensor Band: Panchromatic; At least 8 Multispectral			- Sensor Resolution: Panchromatic: at least 0.5m GSD at nadir, Multispectral: At least 2m GSD at nadir			- Swath Width: At least 15km at nadir			Satellite 3			- Sensor Band: Panchromatic; At least 8 Multispectral; with SWIR			- Sensor Resolution: Panchromatic: At least 0.3m GSD at nadir, Multispectral: At least 2m GSD at nadir,			- SWIR: At least 4m GSD at nadir			- Swath Width: At least 13km at nadir			Satellite 4			- Sensor Band: Panchromatic; At least 4 Multispectral (Blue, Green, Red, NIR)			- Sensor Resolution: Panchromatic: At least 0.5m GSD at nadir, Multispectral: At least 2m GSD at nadir			- Swath Width: At least 15km at nadir			Satellite 5			- Sensor Band: Panchromatic; At least 4 Multispectral (Blue, Green, Red, NIR)			- Sensor Resolution: Panchromatic: At least 0.3m GSD at nadir, Multispectral: At least 2m GSD at nadir			- Swath Width: At least 13km at nadir	
Item	Specification	Statement of Compliance																																																																											
1	Very High-Resolution Satellite Images																																																																												
	I. Satellite Access																																																																												
	*Supplier must provide access to download images from the following satellites, as needed:																																																																												
	Satellite 1:																																																																												
	- Sensor Band: Panchromatic																																																																												
	- Sensor Resolution: At least 0.5m Ground Sample Distance (GSD) at nadir																																																																												
	- Swath Width: At least 15km at nadir																																																																												
	Satellite 2:																																																																												
	- Sensor Band: Panchromatic; At least 8 Multispectral																																																																												
	- Sensor Resolution: Panchromatic: at least 0.5m GSD at nadir, Multispectral: At least 2m GSD at nadir																																																																												
	- Swath Width: At least 15km at nadir																																																																												
	Satellite 3																																																																												
	- Sensor Band: Panchromatic; At least 8 Multispectral; with SWIR																																																																												
	- Sensor Resolution: Panchromatic: At least 0.3m GSD at nadir, Multispectral: At least 2m GSD at nadir,																																																																												
	- SWIR: At least 4m GSD at nadir																																																																												
	- Swath Width: At least 13km at nadir																																																																												
	Satellite 4																																																																												
	- Sensor Band: Panchromatic; At least 4 Multispectral (Blue, Green, Red, NIR)																																																																												
	- Sensor Resolution: Panchromatic: At least 0.5m GSD at nadir, Multispectral: At least 2m GSD at nadir																																																																												
	- Swath Width: At least 15km at nadir																																																																												
	Satellite 5																																																																												
	- Sensor Band: Panchromatic; At least 4 Multispectral (Blue, Green, Red, NIR)																																																																												
	- Sensor Resolution: Panchromatic: At least 0.3m GSD at nadir, Multispectral: At least 2m GSD at nadir																																																																												
	- Swath Width: At least 13km at nadir																																																																												

TO:

Item	Specification	Statement of Compliance
1	Very High-Resolution Satellite Images	
	I. Satellite Access	
	*Supplier must provide access to download images from the following satellites, as needed:	
	Satellite 1:	
	- Sensor Band: Panchromatic	
	- Sensor Resolution: At least 0.5m Ground Sample Distance (GSD) at nadir	
	- Swath Width: At least 15km 12km at nadir	
	Satellite 2:	
	- Sensor Band: Panchromatic; At least 8 Multispectral	
	- Sensor Resolution: Panchromatic: at least 0.5m GSD at nadir, Multispectral: At least 2m GSD at nadir	
	- Swath Width: At least 15km 12km at nadir	
	Satellite 3	
	- Sensor Band: Panchromatic; At least 8 Multispectral; with SWIR	
	- Sensor Resolution: Panchromatic: At least 0.3m GSD at nadir, Multispectral: At least 2m GSD at nadir,	
	- SWIR: At least 4m GSD at nadir	
	- Swath Width: At least 13km 12km at nadir	
	Satellite 4	
	- Sensor Band: Panchromatic; At least 4 Multispectral (Blue, Green, Red, NIR)	
	- Sensor Resolution: Panchromatic: At least 0.5m GSD at nadir, Multispectral: At least 2m GSD at nadir	
	- Swath Width: At least 15km 12km at nadir	
	Satellite 5	
	- Sensor Band: Panchromatic; At least 4 Multispectral (Blue, Green, Red, NIR)	
	- Sensor Resolution: Panchromatic: At least 0.3m GSD at nadir, Multispectral: At least 2m GSD at nadir	
	- Swath Width: At least 13km 12km at nadir	

B. RESPONSE TO QUERIES

QUERY/ISSUE	BAC/END-USER RESPONSE/CLARIFICATION
For Satellite 2, may we request to amend the specification from “Swath Width: At least 15km at nadir” to “Swath Width: At least 12km at nadir”?	The required resolution for the basemap is three (3) meters and the total area is the whole country, which is around 300,000 sq. km.
What is the duration of the contract?	The images must be delivered until 2021 only.
Due to COVID-19, could bidders submit the proposal online instead of manually? What about the payment of applicable fee? Could it be done virtually as well? As agreed, please, reconsider this point as it is not easy nowadays with the pandemic situation to submit a response physically.	There is no process for electronic submission yet so bids will still need to be submitted physically. And we do not yet accept electronic payments as well so the same goes.

Please, consider also to extend the deadline since Easter period is around the corner and Amendments will be published later next week.	The end-user did not agree with the extension of submission as the satellite images are already needed.
May bidders submit more than one proposal for each lot or tenders?	Only one bid offer may be submitted for each lot.

ADDITIONAL INSTRUCTION/S: Prospective bidder/s are required to amend the form to update existing information.

Please be guided accordingly.

Prepared by:

KATHERINE B. RAMOS
Head, BAC Secretariat

Approved by:

REYNALDO JOSEPH A. CALLAO, JR.
Chairperson, BAC