



**DOST-ASTI Bids and Awards Committee  
Invitation to Bid (Public Bidding)**

<b>IB No:</b>	23-03-4300	<b>Date:</b>	March-27-2023
<b>PR No:</b>	GAA-23-02-16189	<b>Date:</b>	March-20-2023
<b>Source of Funds:</b>			
<b>Total ABC:</b>	Php 1,400,000.00		
<b>Time, Date &amp; Venue of Pre-bid Conference:</b>	April 04, 2023, 9:00 AM at Videoconferencing (MS Teams)		
<b>Time and Date of Submission of Bids:</b>	April 17, 2023, 09:00 AM		
<b>Time, Date &amp; Venue of Opening Bids:</b>	April 17, 2023, 9:30 AM at DOST-ASTI and Videoconferencing (MS Teams)		
<b>Date of availability of Complete Set of Documents:</b>	March 27, 2023		
<b>Deadline of Potential Bidder's Clarifications:</b>	April 07, 2023		
<b>Deadline of ASTI's Supplemental Bid Bulletin:</b>	April 11, 2023		
<b>Delivery Schedule:</b>			

The *Department of Science and Technology (DOST) - Advanced Science and Technology Institute (ASTI)*, through its Bids and Awards Committee (BAC), hereby invites all interested Bidders to submit their bids for the *item/s* listed below. *Section II. Instructions to Bidders (ITB) of the DOST-ASTI Bidding Documents provides information necessary for bidders to prepare responsive bids, in accordance with the requirements of DOST-ASTI. The ITB likewise provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and award of contract.*

Bidding will be conducted through open competitive bidding procedures *using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.*

A complete set of *DOST-ASTI Bidding Documents may be acquired by interested Bidders on the date and address given on this document, and upon payment of the applicable fee, pursuant to the latest Guidelines issued by the Government Procurement Policy Board. Further, the DOST-ASTI Bidding Documents may be accessed through the DOST-ASTI website (<https://asti.dost.gov.ph/>).*

For further inquiries, *you may contact the DOST-ASTI BAC Secretariat at telephone number +63 2 8249-8500 / +63 2 8426-9755 local 1206/1212 or send your message to bac-sec@asti.dost.gov.ph .*

Respectfully,

**BAYANI BENJAMIN R. LARA**  
*BAC Chairperson*

NO.	TECHNICAL SPECIFICATIONS	QTY	UNIT	UNIT PRICE(Php)	TOTAL PRICE(Php)
1	<p><b>Glass Doors</b></p> <p>1. OBJECTIVE</p> <p>1.1. DOST-ASTI is looking for a service provider, with necessary expertise, experience, and knowledge for the Supply, Delivery, and Installation of GLASS DOORS for DOST-ASTI's main/front, back, and roof deck doors.</p> <p>2. LOCATION</p> <p>2.1. DOST-ASTI Bldg., UP Technology Park Complex, CP Garcia Ave., UP Campus, Diliman, Quezon City</p>	1	lot	1400000.00	1,400,000.00

### 3. SCOPE OF WORK

- 3.1. Dismantling of existing glass wall and doors in the main/front, back and roof deck entrances.
- 3.2. Demolition, restoration, and refurbishment of affected walls for installation.
- 3.3. Supply and installation of new frameless door entrances.
- 3.4. Supply and installation of complete set of motorized automatic frameless sliding doors with sensor, touch switch, RFID mechanism, parts, and components, inclusive of electrical wiring and breaker installation for main/front and back entrances.
- 3.5. Supply and installation of complete set of glass swing doors for the roof deck entrances.
- 3.6. Provision of demonstration and testing of motion sensor doors.
- 3.7. Testing and commissioning of actual/functional and installed doors/ entrances.

### 4. TECHNICAL SPECIFICATIONS

#### 4.1. MAIN/FRONT ENTRANCE

- 4.1.1. Dimension
  - 4.1.1.1. 7 meter/s x 2.30 meter/s
- 4.1.2. Frameless Automatic Sliding Door
  - 4.1.2.1. Minimum: Two (2) 1 meter/s x 2.10 meter/s
- 4.1.3. Clear tempered glass for wall and door
  - 4.1.3.1. 1/2 inches (thickness)
- 4.1.4. Motorized (Automatic)
  - 4.1.4.1. Motion sensor sliding glass door
- 4.1.5. Fixed Frameless Glass Wall
  - 4.1.5.1. Four (4) Fixed Glass Wall
    - 4.1.5.1.1. Minimum: 0.85 meter/s x 2.3 meter/s
  - 4.1.5.2. Two (2) Fixed Glass Wall
    - 4.1.5.2.1. Minimum: 0.8 meter/s x 2.3 meter/s
- 4.1.6. Sensor doors shall be equipped with manual transfer.
- 4.1.7. Dimensions given above may vary depending on the actual size and design of entrance. Minimum variations (+/-) shall be accepted by the end-user.

#### 4.2. BACK ENTRANCE

- 4.2.1. Dimension
  - 4.2.1.1. 3.7 meter/s x 2.30 meter/s
- 4.2.2. Frameless Sliding Door
  - 4.2.2.1. Two (2) - 0.90 meter/s x 2.30 meter/s
- 4.2.3. Clear tempered glass for wall and door
  - 4.2.3.1. 1/2 inches (thickness)
- 4.2.4. Motorized (Automatic)
  - 4.2.4.1. Motion sensor sliding glass door
- 4.2.5. Fixed Frameless Glass Wall
  - 4.2.5.1. Two (2) 0.95 meter/s x 2.3 meter/s
- 4.2.6. Sensor doors shall be equipped with manual transfer.
- 4.2.7. Dimensions given above may vary depending on the actual size and design of entrance. Minimum variations (+/-) shall be accepted by the end-user.

4.3. ROOF DECK ENTRANCE

4.3.1. Dimension

4.3.1.1. 4 meter/s x 2.10 meter/s

4.3.2. Frameless Swing Door

4.3.2.1. Two (2) 0.90 meter/s x 2.10 meter/s

4.3.3. Clear tempered glass for wall and door

4.3.3.1. 1/2 inches (thickness)

4.3.4. Fixed Frameless Glass Wall

4.3.4.1. Two (2) 0.95 meter/s x 2.1 meter/s

4.3.5. Dimensions given above may vary depending on the actual size and design of entrance. Minimum variations (+/-) shall be accepted by the end-user.

5. OTHER MATTERS

5.1. Temporary facilities/barracks shall be of the expense of the service provider at the approved location of the end-user required for use of his/her workers and safe storage of tools and materials and shall maintain sanitary operable conditions, all in conformity of the local regulations, if necessary.

5.2. As-built Plan and Schematic Diagram shall be provided by the service provider upon completion of the project. A complete set of as-built drawings in printed Form (20"x 30") and/or A3, whichever is required by DOST-ASTI and a softcopy in AutoCAD or any related drawing application.

5.3. The service provider shall be responsible for the proper execution and coordination of his/her work. All in compliance with the Safety and Health Standards.

5.4. The service provider shall secure applicable insurance, warranty bond, bid and performance bonds for disruptions, loss, or failure in the conduct of the Project.

5.5. The service provider shall seek approval from the end-user prior to dismantling and installation of glass doors.

6. DELIVERY AND PAYMENT TERMS

6.1. Delivery of goods and services shall commence within ten (10) calendar days upon issuance of Notice to Proceed and shall be completed on or before 30 June 2023.

6.2. Full payment will only be given once the goods and services are completely delivered, inspected, and accepted by the end-user unit.

6.3. No payment shall be made for the goods and services not delivered under this contract.

6.4. The price of the bid must be inclusive of the government taxes and other charges.

7. WARRANTY TERMS

7.1. The goods and services must carry a one (1) year warranty for parts and services.

7.2. Warranty service shall commence from the date of end-user acceptance.

**TOTAL APPROVED BUDGET FOR THE CONTRACT (ABC):**

**Php 1,400,000.00**

**RESERVATION CLAUSE**

The Advanced Science and Technology Institute reserves the right to accept or reject any proposal, to annul the bidding process, and to reject all proposals at any time prior to contract award, without thereby incurring any liability to the affected proponent or proponents.