



20 August 2024

**ASTI - BIDS AND AWARDS COMMITTEE**

**SUPPLEMENTAL BULLETIN NO. BAC-2024-08-023**

**SUPPLY AND DELIVERY OF VARIOUS EPDC LABORATORY SUPPLIES**

The ASTI Bids and Awards Committee (BAC) issues this Supplemental/Bid Bulletin to clarify, modify or amend items in the Bidding Documents and to reply to queries raised by the potential bidders through letters/emails for the information of all bidders for the procurement of:

Item:	<b>Supply and Delivery of Various EPDC Laboratory Supplies</b>
Approved Budget for the Contract:	<b>Three Million Six Hundred Thirty-Four Thousand Three Hundred Thirty Pesos Only (₱3,634,330.00)</b>
Invitation to Bid No.:	<b>24-08-4943 dated 29 July 2024</b>
Purchase Request No.:	<b>GAA-24-07-19566 dated 04 July 2024</b>
Published Date (PhilGEPS):	<b>09 August 2024   11134082</b>

**A. AMENDMENT TO PROCUREMENT DETAILS AND FORMS**

REFERENCE	AMENDMENT/CHANGE/CLARIFICATION																											
Section VII. Technical Specifications, Page 50	<b>FROM:</b>																											
	<table border="1"> <thead> <tr> <th>LOT NO.</th> <th>SPECIFICATION</th> <th>STATEMENT OF COMPLIANCE</th> </tr> </thead> <tbody> <tr> <td>17</td> <td>3D FILAMENT - PLA (WHITE)</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>2. TECHNICAL SPECIFICATIONS</td> <td></td> </tr> <tr> <td></td> <td>2.1. Must be compatible with FDM 3D Printer</td> <td></td> </tr> <tr> <td></td> <td>2.2. Diameter: 1.75mm</td> <td></td> </tr> <tr> <td></td> <td>2.3. Net Weight: At least 1kg</td> <td></td> </tr> <tr> <td></td> <td>2.4. Color: White</td> <td></td> </tr> <tr> <td></td> <td>2.5.Type: PLA</td> <td></td> </tr> </tbody> </table>	LOT NO.	SPECIFICATION	STATEMENT OF COMPLIANCE	17	3D FILAMENT - PLA (WHITE)						2. TECHNICAL SPECIFICATIONS			2.1. Must be compatible with FDM 3D Printer			2.2. Diameter: 1.75mm			2.3. Net Weight: At least 1kg			2.4. Color: White			2.5.Type: PLA	
	LOT NO.	SPECIFICATION	STATEMENT OF COMPLIANCE																									
	17	3D FILAMENT - PLA (WHITE)																										
		2. TECHNICAL SPECIFICATIONS																										
		2.1. Must be compatible with FDM 3D Printer																										
		2.2. Diameter: 1.75mm																										
		2.3. Net Weight: At least 1kg																										
		2.4. Color: White																										
		2.5.Type: PLA																										
	<b>TO:</b>																											
	<table border="1"> <thead> <tr> <th>LOT NO.</th> <th>SPECIFICATION</th> <th>STATEMENT OF COMPLIANCE</th> </tr> </thead> <tbody> <tr> <td>17</td> <td>3D FILAMENT - PLA (WHITE)</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>2. TECHNICAL SPECIFICATIONS</td> <td></td> </tr> <tr> <td></td> <td>2.1. Must be compatible with FDM 3D Printer</td> <td></td> </tr> <tr> <td></td> <td>2.2. Diameter: 1.75mm</td> <td></td> </tr> <tr> <td></td> <td>2.3. Net Weight: At least 1kg</td> <td></td> </tr> <tr> <td></td> <td>2.4. Color: White</td> <td></td> </tr> <tr> <td></td> <td>2.5. Type: PLA+</td> <td></td> </tr> </tbody> </table>	LOT NO.	SPECIFICATION	STATEMENT OF COMPLIANCE	17	3D FILAMENT - PLA (WHITE)						2. TECHNICAL SPECIFICATIONS			2.1. Must be compatible with FDM 3D Printer			2.2. Diameter: 1.75mm			2.3. Net Weight: At least 1kg			2.4. Color: White			2.5. Type: PLA+	
	LOT NO.	SPECIFICATION	STATEMENT OF COMPLIANCE																									
17	3D FILAMENT - PLA (WHITE)																											
	2. TECHNICAL SPECIFICATIONS																											
	2.1. Must be compatible with FDM 3D Printer																											
	2.2. Diameter: 1.75mm																											
	2.3. Net Weight: At least 1kg																											
	2.4. Color: White																											
	2.5. Type: PLA+																											
Section VII. Technical Specifications, Page 51	<b>FROM:</b>																											
	<table border="1"> <thead> <tr> <th>LOT NO.</th> <th>SPECIFICATION</th> <th>STATEMENT OF COMPLIANCE</th> </tr> </thead> <tbody> <tr> <td>18</td> <td>3D FILAMENT - PLA (BLACK)</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>2. TECHNICAL SPECIFICATIONS</td> <td></td> </tr> <tr> <td></td> <td>2.1. Must be compatible with FDM 3D Printer</td> <td></td> </tr> <tr> <td></td> <td>2.2. Diameter: 1.75mm</td> <td></td> </tr> <tr> <td></td> <td>2.3. Net Weight: At least 1kg</td> <td></td> </tr> </tbody> </table>	LOT NO.	SPECIFICATION	STATEMENT OF COMPLIANCE	18	3D FILAMENT - PLA (BLACK)						2. TECHNICAL SPECIFICATIONS			2.1. Must be compatible with FDM 3D Printer			2.2. Diameter: 1.75mm			2.3. Net Weight: At least 1kg							
	LOT NO.	SPECIFICATION	STATEMENT OF COMPLIANCE																									
	18	3D FILAMENT - PLA (BLACK)																										
		2. TECHNICAL SPECIFICATIONS																										
	2.1. Must be compatible with FDM 3D Printer																											
	2.2. Diameter: 1.75mm																											
	2.3. Net Weight: At least 1kg																											

		2.4. Color: Black	
		2.5. Type: PLA	
	<b>TO:</b>		
	<b>LOT NO.</b>	<b>SPECIFICATION</b>	<b>STATEMENT OF COMPLIANCE</b>
	18	3D FILAMENT - PLA (BLACK)	
		2. TECHNICAL SPECIFICATIONS	
		2.1. Must be compatible with FDM 3D Printer	
		2.2. Diameter: 1.75mm	
		2.3. Net Weight: At least 1kg	
		2.4. Color: Black	
		2.5. Type: PLA+	
Section VII. Technical Specifications, Page 51	<b>FROM:</b>		
	<b>LOT NO.</b>	<b>SPECIFICATION</b>	<b>STATEMENT OF COMPLIANCE</b>
	19	3D FILAMENT - PLA (GREY)	
		2. TECHNICAL SPECIFICATIONS	
		2.1. Must be compatible with FDM 3D Printer	
		2.2. Diameter: 1.75mm	
		2.3. Net Weight: At least 1kg	
		2.4. Color: Grey	
		2.5. Type: PLA	
	<b>TO:</b>		
	<b>LOT NO.</b>	<b>SPECIFICATION</b>	<b>STATEMENT OF COMPLIANCE</b>
	19	3D FILAMENT - PLA (GREY)	
	2. TECHNICAL SPECIFICATIONS		
	2.1. Must be compatible with FDM 3D Printer		
	2.2. Diameter: 1.75mm		
	2.3. Net Weight: At least 1kg		
	2.4. Color: Grey		
	2.5. Type: PLA+		
Section VII. Technical Specifications, Page 52	<b>FROM:</b>		
	<b>LOT NO.</b>	<b>SPECIFICATION</b>	<b>STATEMENT OF COMPLIANCE</b>
	20	3D FILAMENT - PLA (DARK BLUE)	
		2. TECHNICAL SPECIFICATIONS	
		2.1. Must be compatible with FDM 3D Printer	
		2.2. Diameter: 1.75mm	
		2.3. Net Weight: At least 1kg	
		2.4. Color: Dark Blue	
		2.5. Type: PLA	
	<b>TO:</b>		
	<b>LOT NO.</b>	<b>SPECIFICATION</b>	<b>STATEMENT OF COMPLIANCE</b>
	20	3D FILAMENT - PLA (DARK BLUE)	

	2. TECHNICAL SPECIFICATIONS	
	2.1. Must be compatible with FDM 3D Printer	
	2.2. Diameter: 1.75mm	
	2.3. Net Weight: At least 1kg	
	2.4. Color: Dark Blue	
	2.5.Type: PLA+	
Section VII. Technical Specifications, Page 52	<b>FROM:</b>	
	<b>LOT NO.</b>	<b>SPECIFICATION</b>
	<b>21</b>	<b>3D FILAMENT – SILK PLA (WHITE)</b>
		2. TECHNICAL SPECIFICATIONS
		2.1. Must be compatible with FDM 3D Printer
		2.2. Diameter: 1.75mm
		2.3. Net Weight: At least 1kg
		2.4. Color: Silk White
		2.5. Type: PLA
	<b>TO:</b>	
	<b>LOT NO.</b>	<b>SPECIFICATION</b>
	<b>21</b>	<b>3D FILAMENT – SILK PLA (WHITE)</b>
		2. TECHNICAL SPECIFICATIONS
		2.1. Must be compatible with FDM 3D Printer
		2.2. Diameter: 1.75mm
		2.3. Net Weight: At least 1kg
		2.4. Color: Silk White
		2.5. Type: PLA+
Section VII. Technical Specifications, Page 53	<b>FROM:</b>	
	<b>LOT NO.</b>	<b>SPECIFICATION</b>
	<b>22</b>	<b>3D FILAMENT - ABS (BLACK)</b>
		2. TECHNICAL SPECIFICATIONS
		2.1. Must be compatible with FDM 3D Printer
		2.2. Diameter: 1.75mm
		2.3. Net Weight: At least 1kg
		2.4. Color: Black
		2.5. Type: ABS
	<b>TO:</b>	
	<b>LOT NO.</b>	<b>SPECIFICATION</b>
	<b>22</b>	<b>3D FILAMENT - ABS (BLACK)</b>
		2. TECHNICAL SPECIFICATIONS
		2.1. Must be compatible with FDM 3D Printer
		2.2. Diameter: 1.75mm
		2.3. Net Weight: At least 1kg
		2.4. Color: Black
		2.5. Type: ABS+

Section VII. Technical Specifications, Page 54	<b>FROM:</b>		
	<b>LOT NO.</b>	<b>SPECIFICATION</b>	<b>STATEMENT OF COMPLIANCE</b>
	23	3D FILAMENT - ABS (WHITE)	
		2. TECHNICAL SPECIFICATIONS	
		2.1. Must be compatible with FDM 3D Printer	
		2.2. Diameter: 1.75mm	
		2.3. Net Weight: At least 1kg	
		2.4. Color: White	
		2.5. Type: ABS	
	<b>TO:</b>		
	<b>LOT NO.</b>	<b>SPECIFICATION</b>	<b>STATEMENT OF COMPLIANCE</b>
	23	3D FILAMENT - ABS (WHITE)	
	2. TECHNICAL SPECIFICATIONS		
	2.1. Must be compatible with FDM 3D Printer		
	2.2. Diameter: 1.75mm		
	2.3. Net Weight: At least 1kg		
	2.4. Color: White		
	2.5. Type: ABS+		
Section VII. Technical Specifications, Page 54	<b>FROM:</b>		
	<b>LOT NO.</b>	<b>SPECIFICATION</b>	<b>STATEMENT OF COMPLIANCE</b>
	24	3D FILAMENT - ABS (Grey)	
		2. TECHNICAL SPECIFICATIONS	
		2.1. Must be compatible with FDM 3D Printer	
		2.2. Diameter: 1.75mm	
		2.3. Net Weight: At least 1kg	
		2.4. Color: Grey	
		2.5. Type: ABS	
	<b>TO:</b>		
	<b>LOT NO.</b>	<b>SPECIFICATION</b>	<b>STATEMENT OF COMPLIANCE</b>
	24	3D FILAMENT - ABS (Grey)	
	2. TECHNICAL SPECIFICATIONS		
	2.1. Must be compatible with FDM 3D Printer		
	2.2. Diameter: 1.75mm		
	2.3. Net Weight: At least 1kg		
	2.4. Color: Grey		
	2.5. Type: ABS+		

**B. RESPONSE TO QUERIES**

QUERY/ISSUE	BAC/END-USER RESPONSE/CLARIFICATION
For Item/Lot No. 59 Acrylic Wall Putty, is it acceptable to offer four (4) 1.2kg units to meet the requirement of at least 4.5kg, or would this exceed the specified weight requirement?	One (1) piece of at least 4.5kg is required for the procurement project; hence, four (4) 1.2kg units will not be acceptable.

**ADDITIONAL INSTRUCTION/S:** Prospective bidder/s are required to: 1) amend the form to update existing information or 2) submit a copy of supplemental bulletin with statement of compliance or signature of authorized representative. **Non-compliance with this requirement shall be grounds for disqualification.**

Please be guided accordingly.

Prepared by:

**KATHERINE B. RAMOS**  
*Head, BAC Secretariat*

Approved by:

**BAYANI BENJAMIN R. LARA**  
*Chairperson, BAC*