



**ASTI-FM 03-10
REV 4/ 9 MAR 2022**

**DOST-ASTI Bids and Awards Committee
REQUEST FOR QUOTATION**

Kind of Procurement Activity:	Negotiated Procurement:Small-value Procurement		
Deadline of Submission of Bids:	Apr-01-2024, 2:00 PM		
RFQ No.:	24-03-4729	Date:	March-27-2024
PR No.:	GAA-24-03-18820	Date:	March-11-2024

The Department of Science and Technology (DOST) - Advanced Science and Technology Institute (ASTI), through its Bids and Awards Committee (BAC), intends to procure the enlisted item/s below. Bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, except otherwise specified in the requirements. Award may be considered for prospective bidder/s proven to be the single/lowest calculated and responsive quotation among all other quotations. Guidelines on the format of quotations and eligibility documents are listed below. Kindly follow the prescribed GUIDELINES to avoid DISQUALIFICATION.

Quotations may be submitted 1) manually to the BAC Secretariat at G/F DOST-ASTI Bldg., UP Technology Park Complex, CP Garcia Ave., UP Campus, Diliman, Quezon City or 2) sent via electronic mail at bac-sec@asti.dost.gov.ph. For further information, please contact the BAC Secretariat at +63 2 8249-8500 loc. 1206/1212.

Thank you.

BAYANI BENJAMIN R. LARA
BAC Chairperson

NO.	TECHNICAL SPECIFICATIONS	QTY	UNIT	UNIT PRICE(Php)	TOTAL PRICE(Php)
1	<p>Accessory - Laptop Stand</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. DOST-ASTI is seeking qualified and competent bidders for the SUPPLY AND DELIVERY OF EIGHT (8) PCS OF LAPTOP STAND to be used to perform daily work-related tasks and activities under the STRIIDER project.</p> <p>1.2. The Approved Budget for the Contract (ABC) includes all applicable government taxes and services charges.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. Material:</p> <p>2.1.1. Body: Aluminum Alloy</p> <p>2.1.2. Anti-slip: Multiple Silicone Pads</p> <p>2.2. Fan parameters:</p> <p>2.2.1. Cooling method: Dual-core silent motor fan cooling</p> <p>2.2.2. Rated Voltage: 5 v</p> <p>2.2.3. Rated Current: 0.15 A</p> <p>2.2.4. Rater Power: 0.6 W</p> <p>2.2.5. Rated Speed: 2700 rpm ± 10%</p> <p>2.2.6. Air Volume = 2.0 CFM</p> <p>2.3. Power supply mode: USB Type C Interface</p> <p>2.4. With anti-slip wire protection</p>	8	pc	962.50	7,700.00

	<p>2.5. Compatible with 10" – 17" laptops</p> <p>3. PACKAGE INCLUSION</p> <p>3.1. One (1) Laptop Stand</p> <p>3.2. One (1) USB-A to USB-C charging cable</p> <p>4. WARRANTY</p> <p>4.1. Must have at least six (6) months of warranty from the time of delivery which covers defects in materials.</p> <p>4.2. Warranty service shall commence from the date of end-user acceptance.</p> <p>4.3. Any replacement service must be successfully performed within fifteen (15) calendar days.</p> <p>5. DELIVERY AND PAYMENT TERMS</p> <p>5.1. The goods must be delivered within thirty (30) calendar days upon issuance of NTP.</p> <p>5.2. Full payment will only be given once the item is completely delivered, inspected, and accepted by the End-user.</p> <p>5.3. No payment shall be made for the supplies and materials not yet delivered under this contract.</p>				
2	<p>Workshop Consumable - Duct Tape</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. DOST-ASTI is seeking qualified and competent bidders for the SUPPLY AND DELIVERY OF TEN (10) PCS OF DUCT TAPE to be used to pack materials during deployment, shipment, and other fieldwork-related activities.</p> <p>1.2. The ABC includes all applicable government taxes and services charges.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. Color: Silver</p> <p>2.2. Measurement:</p> <p>2.2.1. Width: 50 mm</p> <p>2.2.2. Length: 50 m</p> <p>2.3. Backing material: PE cloth</p> <p>2.4. Adhesive:</p> <p>2.4.1. Material: Rubber</p> <p>2.4.2. Strength: 6 N/cm</p> <p>2.5. Elongation at break: 20%</p> <p>2.6. Tensile strength: 28 N/cm</p> <p>3. DELIVERY AND PAYMENT TERMS</p> <p>3.1. The goods must be delivered within thirty (30) calendar days upon issuance of Notice to Proceed (NTP).</p> <p>3.2. Full payment will only be given once the item is completely delivered, inspected, and accepted by the End-user.</p> <p>3.3. No payment shall be made for the supplies and materials not yet delivered under this contract</p>	10	pc	1870.00	18,700.00
3	<p>Battery - 9V Rechargeable Battery</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. DOST-ASTI is seeking qualified and competent bidders for the SUPPLY AND DELIVERY OF TEN (10) PCS OF 9V RECHARGEABLE BATTERY to be used in the testing of various set-ups under the STRIIDER</p>	10	pc	600.00	6,000.00

	<p>project.</p> <p>1.2. The ABC includes all applicable government taxes and services charges.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. Rechargeable until 1000 times</p> <p>2.2. Voltage: 9 V (constant voltage discharge)</p> <p>2.3. Input: 5V/200 mA</p> <p>2.4. Charging:</p> <p>2.4.1. Interface: USB-Micro</p> <p>2.4.2. Time: 1.5 hours</p> <p>3. PACKAGE INCLUSION</p> <p>3.1. 9V rechargeable battery</p> <p>3.2. USB-Micro charging cable</p> <p>4. WARRANTY</p> <p>4.1. Must have at least six (6) months of warranty from the time of delivery which covers defects in materials.</p> <p>4.2. Warranty service shall commence from the date of end-user acceptance.</p> <p>4.3. Any replacement service must be successfully performed within fifteen (15) calendar days.</p> <p>5. DELIVERY AND PAYMENT TERMS</p> <p>5.1. The goods must be delivered within thirty (30) calendar days upon issuance of NTP.</p> <p>5.2. Full payment will only be given once the item is completely delivered, inspected, and accepted by the End-user.</p> <p>5.3. No payment shall be made for the supplies and materials not yet delivered under this contract.</p>				
4	<p>Laboratory Tool - Digital Contact and Non-contact Tachometer</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. DOST-ASTI is seeking qualified and competent bidders for the SUPPLY AND DELIVERY OF ONE (1) PC OF DIGITAL CONTACT AND NON-CONTACT TACHOMETER to be used to measure surface speed.</p> <p>1.2. The ABC includes all applicable government taxes and services charges.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. Best accuracy: $\pm 0.05\%$ +1 digit</p> <p>2.2. Category: Contact, Non-Contact</p> <p>2.3. Battery: 9 V</p> <p>2.4. Display: LCD</p> <p>2.5. Designed with a durable and robust housing</p> <p>2.6. Equipped with wide measuring range and high resolution for accurate and reliable results</p> <p>2.7. Built-in memory allows 40 reading memories to be stored</p> <p>3. WARRANTY</p> <p>3.1. Must have at least six (6) months of warranty from the time of delivery which covers defects in materials.</p> <p>3.2. Warranty service shall commence from the date of end-user acceptance.</p> <p>3.3. Any replacement service must be successfully performed within fifteen (15) calendar days.</p>	1	pc	13750.00	13,750.00

	<p>4. DELIVERY AND PAYMENT TERMS</p> <p>4.1. The goods must be delivered within thirty (30) calendar days upon issuance of NTP.</p> <p>4.2. Full payment will only be given once the item is completely delivered, inspected, and accepted by the End-user.</p> <p>4.3. No payment shall be made for the supplies and materials not yet delivered under this contract.</p>				
5	<p>Laboratory Tool - Digital Anemometer</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. DOST-ASTI is seeking qualified and competent bidders for the SUPPLY AND DELIVERY OF ONE (1) PC OF DIGITAL ANENOMETER to be used to measure air and volume flow as well as temperature.</p> <p>1.2. The ABC includes all applicable government taxes and services charges.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. Measurement parameters: Air velocity, Temperature</p> <p>2.2. Measuring range (velocity): 0.4 to 30 m/s</p> <p>2.3. Probe type: Vane</p> <p>2.4. Air velocity:</p> <p>2.4.1. Measuring range: 0.4 to 30 m/s</p> <p>2.4.2. Accuracy: 2%</p> <p>2.4.3. Resolution: 0.1 m/s</p> <p>2.5. Temperature:</p> <p>2.5.1. Maximum: ±60 degrees Celsius</p> <p>2.5.2. Measurement resolution: 0.1 degrees Celsius</p> <p>2.5.3. Measurement accuracy: ±0.5 degrees Celsius</p> <p>2.5.4. Operating:</p> <p>2.5.4.1. Minimum: -20 degrees Celsius</p> <p>2.5.4.2. Maximum: +50 degrees Celsius</p> <p>2.6. Power source: Battery</p> <p>2.7. Battery:</p> <p>2.7.1. Type: AAA</p> <p>2.7.2. Life: 130 / 200 h</p> <p>2.8. Slim, lightweight design</p> <p>2.9. Connects via Bluetooth to smartphone or tablet</p> <p>2.10. Can connect up to 6 devices at any one time</p> <p>2.11. Results can be saved in Excel or PDF</p> <p>2.12. Compatible with iOS 8.3 or newer, Android 4.3 or newer + Bluetooth 4.0</p> <p>3. WARRANTY</p> <p>3.1. Must have at least six (6) months of warranty from the time of delivery which covers defects in materials.</p> <p>3.2. Warranty service shall commence from the date of end-user acceptance.</p> <p>3.3. Any replacement service must be successfully performed within fifteen (15) calendar days.</p> <p>4. DELIVERY AND PAYMENT TERMS</p> <p>4.1. The goods must be delivered within thirty (30) calendar days upon issuance of NTP.</p> <p>4.2. Full payment will only be given once the item is completely delivered, inspected, and accepted by the End-user.</p> <p>4.3. No payment shall be made for the supplies and</p>	1	pc	16280.00	16,280.00

	materials not yet delivered under this contract.				
6	<p>Sensor - Sonar Altimeter and Echosounder</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. DOST-ASTI is seeking qualified and competent bidders for the SUPPLY AND DELIVERY OF ONE (1) SET OF SONAR ALTIMETER AND ECHOSOUNDER to be used to measure distances underwater.</p> <p>1.2. The ABC includes all applicable government taxes and services charges.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. Electrical:</p> <p>2.1.1. Supply voltage: 4.5 – 5.5 V</p> <p>2.1.2. Logic level voltage: 3.3 V (5 V tolerant)</p> <p>2.1.3. Current draw:</p> <p>2.1.3.1. Typical: 100 mA</p> <p>2.1.3.2. Peak: 900 mA</p> <p>2.2. Communication:</p> <p>2.2.1. Signal protocol: TTL Serial (UART)</p> <p>2.2.2. Baud rates: 115200 bps (default), 9600 bps</p> <p>2.2.3. Message protocol: Ping</p> <p>2.3. Cable:</p> <p>2.3.1. Length: 875 mm / 34.5 in</p> <p>2.3.2. Maximum: 8 m / 26 ft</p> <p>2.3.3. Conductor gauge: 24 AWG</p> <p>2.4. Wires:</p> <p>2.4.1. Black: GND</p> <p>2.4.2. Red: VIN</p> <p>2.4.3. White: TX (Out)</p> <p>2.4.4. Green: RX (In)</p> <p>2.5. Acoustics:</p> <p>2.5.1. Frequency: 115 KHz</p> <p>2.5.2. Source level: 198 dB re 1 uPa @ 1 m</p> <p>2.5.3. Beam width (-3 dB from peak): 25 degrees</p> <p>2.5.4. Range:</p> <p>2.5.4.1. Minimum: 0.3 m / 1 ft</p> <p>2.5.4.2. Usable: 100 m / 328 ft</p> <p>2.5.4.3. Resolution: 0.5% of range</p> <p>2.5.4.4. Resolution @ 100 m (water range, not measured range): 50 cm / 19.7 in</p> <p>2.5.4.5. Resolution @ 2 m (water range, not measured range): 1 cm / 0.4 in</p> <p>2.6. Physical:</p> <p>2.6.1. Depth rating: 300 m / 984 ft</p> <p>2.6.2. Temperature range: 0-30 degrees Celsius / 32-86 degrees Fahrenheit</p> <p>2.7. Mounting bracket screw size: M5X16 mm</p> <p>3. WARRANTY</p> <p>3.1. Must have at least six (6) months of warranty from the time of delivery which covers defects in materials.</p> <p>3.2. Warranty service shall commence from the date of end-user acceptance.</p> <p>3.3. Any replacement service must be successfully performed within fifteen (15) calendar days.</p> <p>4. DELIVERY AND PAYMENT TERMS</p> <p>4.1. The goods must be delivered within thirty (30) calendar days upon issuance of NTP.</p> <p>4.2. Full payment will only be given once the item is</p>	1	set	35255.00	35,255.00

	<p>completely delivered, inspected, and accepted by the End-user.</p> <p>4.3. No payment shall be made for the supplies and materials not yet delivered under this contract.</p>				
7	<p>Development Board - Embedded Controller</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. DOST-ASTI is seeking qualified and competent bidders for the SUPPLY AND DELIVERY OF TWO (2) SETS OF EMBEDDED CONTROLLERS to be used in the research and various testing phases under the STRIIDER project.</p> <p>1.2. The ABC includes all applicable government taxes and services charges.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. Processor:</p> <p>2.1.1. FMU: 32-bit ARM® Cortex®-M7, 480 MHz, 2 MB memory, 1 MB SRAM</p> <p>2.1.2. IO: 32-bit ARM® Cortex®-M3, 72 MHz, 64 KB SRAM</p> <p>2.2. Electrical data:</p> <p>2.2.1. Voltage ratings:</p> <p>2.2.1.1. Maximum input voltage: 6 V</p> <p>2.2.1.2. USB power input: 4.75 ~ 5.25 V</p> <p>2.2.1.3. Servo rail input: 0 ~ 36 V</p> <p>2.2.2. Current ratings:</p> <p>2.2.2.1. Telem1 maximum current limiter: 1.5 A</p> <p>2.2.2.2. All other port output current limiter: 1.5 A</p> <p>2.3. Flight controller material: Plastic</p> <p>2.4. Equipped with newly designed vibration isolation system</p> <p>3. WARRANTY</p> <p>3.1. Must have at least six (6) months of warranty from the time of delivery which covers defects in materials.</p> <p>3.2. Warranty service shall commence from the date of end-user acceptance.</p> <p>3.3. Any replacement service must be successfully performed within fifteen (15) calendar days.</p> <p>4. DELIVERY AND PAYMENT TERMS</p> <p>4.1. The goods must be delivered within thirty (30) calendar days upon issuance of NTP.</p> <p>4.2. Full payment will only be given once the item is completely delivered, inspected, and accepted by the End-user.</p> <p>4.3. No payment shall be made for the supplies and materials not yet delivered under this contract.</p>	2	set	35000.00	70,000.00
8	<p>Handheld Ground Control Station</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. DOST-ASTI is seeking qualified and competent bidders for the SUPPLY AND DELIVERY OF ONE (1) SET OF HANDHELD GROUND CONTROL STATION to be used in the research and various testing phases under the STRIIDER project.</p> <p>1.2. The ABC includes all applicable government taxes and services charges.</p> <p>2. TECHNICAL SPECIFICATIONS</p>	1	set	60000.00	60,000.00

- 2.1. Maximum transmission range: 15 km (unobstructed, free of interference)
- 2.2. Channels:
 - 2.2.1. 16 physical
 - 2.2.2. 16 communication
- 2.3. Remote controller:
 - 2.3.1. Monitor: 7-inch HD and high brightness LC touchscreen
 - 2.3.2. System: Android 9.0 OS, 4G RAM, 64G ROM
 - 2.3.3. Battery capacity and type: 10,200 mAh 74. V 2S Li-ion, 75 Wh
 - 2.3.4. Charging:
 - 2.3.4.1. Protocol: PD 30W
 - 2.3.4.2. Time: 3.5 hours (PD 30W)
 - 2.3.5. Battery life: 10 hours
 - 2.3.6. Antenna gain:
 - 2.3.6.1. Omni: 5 dBi
 - 2.3.6.2. Long range: 11 dBi
 - 2.3.6.3. Lollipop: 5 dBi (optional)
 - 2.3.7. Interface and ports:
 - 2.3.7.1. Video output: Standard HDMI
 - 2.3.7.2. External device: USB-A
 - 2.3.7.3. Charging: Type-C
 - 2.3.7.4. Firmware upgrade: Type-C
 - 2.3.7.5. File transfer: Type-C / USB-A
 - 2.3.7.6. Mobile network: SIM card slot
 - 2.3.7.7. External storage: TF card slot / USB-A
 - 2.3.7.8. Communication port: LAN (Ethernet)
 - 2.3.7.9. RX signal input / output: Bottom audio port
 - 2.3.8. Waterproof level: IP4X
- 2.4. Air unit:
 - 2.4.1. Signal output:
 - 2.4.1.1. 16 channels of SBUS
 - 2.4.1.2. 5 channels of PWM
 - 2.4.2. Interface and ports:
 - 2.4.2.1. S.Bus RC signal output: SBUS (GH1.25 3-pin)
 - 2.4.2.2. Datalink (to FC): UART (GH1.25 4-pin)
 - 2.4.2.3. PWM Channel: 1 to 5: PWM (GH1.25 6-pin)
 - 2.4.2.4. Video input / network communication: LAN (GH1.25 8-pin)
 - 2.4.2.5. Firmware upgrade: Type-C
 - 2.4.3. Antenna gain:
 - 2.4.3.1. Omni: 5 dBi
 - 2.4.3.2. Lollipop: 5 dBi (optional)
 - 2.4.4. Working voltage:
 - 2.4.4.1. Air unit: 3S ~ 6S / 12.6 ~ 25.2 V
 - 2.4.4.2. Power module: 16.8 ~ 75.6 V
 - 2.4.5. Power consumption:
 - 2.4.5.1. Air unit:
 - 2.4.5.1.1. Average: 2.8 W
 - 2.4.5.1.2. Summit: 12W
 - 2.4.5.2. Air unit + power module:
 - 2.4.5.2.1. Average: 3.2 W
 - 2.4.5.2.2. Summit: 12 W
- 2.5. Air unit HDMI converter:
 - 2.5.1. Video:
 - 2.5.1.1. Input: Micro HDMI
 - 2.5.1.2. Output: Ethernet
 - 2.5.1.3. Recording resolution:
 - 2.5.1.3.1. 1080p (1920 x 1080) @ 30 fps

	<p>2.5.1.3.2. 720p (1080 x 720) @ 30 fps 2.5.1.4. Storage bitrate: 12 Mbps 2.5.2. Working voltage: 12 V 2.5.3. Power consumption: 3 W 2.5.4. Format: 2.5.4.1. File storage: FAT32 2.5.4.2. Video recording: H265 2.5.5. Supported TF/SD card type: MicroSD class10, less than 32GB</p> <p>3. PACKAGE INCLUSION 3.1. Ground unit 3.2. Air unit 3.3. Air HDMI input converter</p> <p>4. WARRANTY 4.1. Must have at least six (6) months of warranty from the time of delivery which covers defects in materials. 4.2. Warranty service shall commence from the date of end-user acceptance. 4.3. Any replacement service must be successfully performed within fifteen (15) calendar days.</p> <p>5. DELIVERY AND PAYMENT TERMS 5.1. The goods must be delivered within thirty (30) calendar days upon issuance of NTP. 5.2. Full payment will only be given once the item is completely delivered, inspected, and accepted by the End-user. 5.3. No payment shall be made for the supplies and materials not yet delivered under this contract.</p>				
9	<p>Sensor - Camera with Single-axis Gimbal</p> <p>1. GENERAL OVERVIEW 1.1. DOST-ASTI is seeking qualified and competent bidders for the SUPPLY AND DELIVERY OF ONE (1) PC OF CAMERA WITH SINGLE-AXIS GIMBAL to be used in the research and various testing phases under the STRIIDER project. 1.2. The ABC includes all applicable government taxes and services charges.</p> <p>2. TECHNICAL SPECIFICATIONS 2.1. Port: 2.1.1. Video output: Ethernet 2.1.2. Control signal input: S. Bus, PWM, Ethernet UDP 2.2. Working voltage: 12 V 2.3. Power consumption: 2.3.1. Average: 2 W 2.3.2. Summit: 12 W 2.4. Gimbal: 2.4.1. Controllable pitch angle: -90 degrees Celsius ~ 25 degrees Celsius 2.5. Camera: 2.5.1. FOV: Horizontal 160 degrees 2.5.2. Image sensor: 1/2.7 inch, 2 MP effective resolution 2.6. Protection: IP65 2.7. Equipped with ultra-wide angle FOV distortion correction</p>	1	pc	9500.00	9,500.00

- 2.8. With upside down mode
- 2.9. With full HD FPV

3. WARRANTY

- 3.1. Must have at least six (6) months of warranty from the time of delivery which covers defects in materials.
- 3.2. Warranty service shall commence from the date of end-user acceptance.
- 3.3. Any replacement service must be successfully performed within fifteen (15) calendar days.

4. DELIVERY AND PAYMENT TERMS

- 4.1. The goods must be delivered within thirty (30) calendar days upon issuance of NTP.
- 4.2. Full payment will only be given once the item is completely delivered, inspected, and accepted by the End-user.
- 4.3. No payment shall be made for the supplies and materials not yet delivered under this contract.

TOTAL APPROVED BUDGET FOR THE CONTRACT (ABC):

Php 237,185.00

GUIDELINES

A. Content and Format of Quotations

- 1. The Quotation/s must include the RFQ Number or the PR Number indicated above
- 2. Bidders must specify the BRAND NAMES and MODEL NAMES/NUMBER for the following goods:
 - a. Computer and electronic equipment and its accessories or peripherals
 - b. Software applications, programs, and digital licenses
 - c. Commercial off-the-shelf electronic devices or components
- 3. The Quotation/s must indicate the registered business name of the company (or individual), business address and contact number. It must also include the full name and signature of the company's authorized representative.
- 4. BIR Certificate of Registration for new DOST-ASTI suppliers.

B. Eligibility Requirements

Pursuant to Annex "H" or Consolidated Guidelines for the Alternative Methods of Procurement of the 2016 Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184, the following documents shall be submitted except for Repeat Order, Shopping under Section 52.1(a), and Negotiated Procurement under Sections 53.1 (Two-Failed Biddings), and 53.5 (Agency-to-Agency):

For Procurement of Goods

- 1. Upon submission of quotation
 - a. Valid PhilGEPS Registration Number / Organization ID
 - b. Valid Mayor's/Business Permit
- 2. Upon issuance of Notice of Award (NOA)
 - a. Omnibus Sworn Statement (shall be required only for procurement projects with ABC above P50,000.00)
 - b. Income/Business Tax Return (For ABCs above P500,000.00)

For Procurement of Infrastructure

- 1. Upon submission of quotation
 - a. Valid PhilGEPS Registration Number / Organization ID
 - b. Valid Mayor's/Business Permit
 - c. Valid PCAB License
- 2. Upon issuance of NOA
 - a. Omnibus Sworn Statement (shall be required only for procurement projects with ABC above P50,000.00)

b. Income/Business Tax Return (For ABCs above P500,000.00)

**Requirements under Section 53.6 (Scientific, Scholarly or Artistic Work, Exclusive Technology and Media Services) of the revised IRR of RA No. 9184 will not apply to artists such as singer, performer, poet, writer, painter and sculptor who are engaged in business.*

***Requirements under Section 53.10 (Lease of Real Property or Venue) of the revised IRR of RA No. 9184, specifically Mayor's/Business Permit, PhilGEPS Registration Number and Income/Business Tax Return will not apply to government agencies as lessors.*

****For methods of procurement requiring Mayor's Permit and PhilGEPS Registration Number, valid Certificate of Platinum Membership may be submitted in lieu of the said documents.*

C. Terms and Conditions

- 1. Additional requirements, if necessary, may be requested by the BAC depending on the item to be bid;*
- 2. All transactions are subject to creditable withholding tax and final Value Added Tax or percentage tax per revenue regulation/s of the BIR;*
- 3. Liquidated damages of at least equal to one-tenth of one percent (0.001) of the cost of the unperformed portion for every day of delay shall be imposed by the DOST-ASTI pursuant to Section 68 of the revised IRR of RA No. 9184; and*
- 4. The DOST-ASTI reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.*