



**ASTI-FM 03-10**  
**REV 5/ 30 APR 2024**

**DOST-ASTI Bids and Awards Committee**  
**REQUEST FOR QUOTATION**

|  |  |              |                   |
|--|--|--------------|-------------------|
| <b>Kind of Procurement Activity:</b>   | Negotiated Procurement:Small-value Procurement |              |                   |
| <b>Deadline of Submission of Bids:</b> | Oct-11-2024, 2:00 PM                           |              |                   |
| <b>RFQ No.:</b>                        | 24-10-5024                                     | <b>Date:</b> | October-07-2024   |
| <b>PR No.:</b>                         | GAA-24-09-19970                                | <b>Date:</b> | September-24-2024 |

*The Department of Science and Technology (DOST) - Advanced Science and Technology Institute (ASTI), through its Bids and Awards Committee (BAC), intends to procure the enlisted item/s below. Bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, except otherwise specified in the requirements. Award may be considered for prospective bidder/s proven to be the single/lowest calculated and responsive quotation among all other quotations. Guidelines on the format of quotations and eligibility documents are listed below. Kindly follow the prescribed GUIDELINES to avoid DISQUALIFICATION.*

*Quotations may be submitted 1) manually to the BAC Secretariat at G/F DOST-ASTI Bldg., UP Technology Park Complex, CP Garcia Ave., UP Campus, Diliman, Quezon City or 2) sent via electronic mail at bac-sec@asti.dost.gov.ph. For further information, please contact the BAC Secretariat at +63 2 8249-8500 loc. 1206/1212.*

Thank you.

**BAYANI BENJAMIN R. LARA**  
*BAC Chairperson*

| NO. | TECHNICAL SPECIFICATIONS   | QTY | UNIT | UNIT PRICE(Php) | TOTAL PRICE(Php) |
|-----|--|-----|------|-----------------|------------------|
| 1   | <p><b>Fabrication of Smart BLDC Motor controller EM1</b></p> <p>1. GENERAL OVERVIEW</p> <p>1.1. DOST-ASTI is seeking qualified and competent bidders for the FABRICATION OF ONE (1) LOT OF MOTOR CONTROLLER BOARD EM1 which will be used as microcontroller and motor driver under the STRIIDER project.</p> <p>1.2. The Approved Budget for the Contract (ABC) includes all applicable government taxes and services charges.</p> <p>1.3. Detailed specs based on actual manufacturing files from the end-user shall be observed.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. PCB Fabrication Only</p> <p>2.1.1. Quantity: Five (5) pcs</p> <p>2.1.2. PCB Fabrication Specs:</p> <p>2.1.2.1. Material: FR-4: TG150</p> <p>2.1.2.2. Number of Layers: Four (4)</p> <p>2.1.2.3. Dimension: 38 × 38 mm</p> <p>2.1.2.4. Board Thickness: 1.6 mm</p> <p>2.1.2.5. Copper Weight: 1 oz.</p> <p>2.1.2.6. Silkscreen: White</p> <p>2.1.2.7. Surface Finish: Immersion Gold (ENIG)</p> <p>2.1.2.8. Solder Mask: Blue</p> | 1   | lot  | 22500.00        | 22,500.00        |

|   |  |   |     |          |           |
|---|--|---|-----|----------|-----------|
|   | <p>2.1.2.9. Minimum Trace Width: 0.152 mm</p> <p>2.1.2.10. Hole Specs</p> <p>2.1.2.10.1. Minimum Hole Size: 0.25 mm</p> <p>2.1.2.10.2. Number of Holes: Two Hundred Ninety (290)</p> <p>2.1.2.10.3. Via Size: 0.152 mm</p> <p>2.2. PCB Assembly</p> <p>2.2.1. Quantity: Two (2) pcs from the 2.1.1 above</p> <p>2.2.2. Board Specs: Refer to 2.1.2</p> <p>2.2.3. Assembly Specs:</p> <p>2.2.3.1. Board Type: Single pieces</p> <p>2.2.3.2. Assembly Side: Both sides</p> <p>2.2.3.3. Test Method: Nail Bed/Flying Probe</p> <p>2.2.3.4. Number of Components: Ninety-five (95)</p> <p>3. NOTES</p> <p>3.1. This procurement includes:</p> <p>3.1.1. Board fabrication and components assembly.</p> <p>3.1.2. Component sourcing based on Bill on Materials (BOM).</p> <p>3.1.3. Gerber, BOM and other manufacturing files are available upon request.</p> <p>3.2. Manufacturing files will be provided by the end-user once the supplier has signed the Non-Disclosure Agreement (NDA).</p> <p>3.3. Charging: STRIIIDER</p> <p>4. WARRANTY AND AFTER-SALES SUPPORT</p> <p>4.1. These boards must have at least six (6) months of warranty from the time of delivery which covers defects in components, workmanship, and fabrication issues.</p> <p>4.2. Warranty service shall commence from the date of end-user acceptance.</p> <p>4.3. Technical support service must be available Monday to Friday (including holidays), during business hours, 9AM -6PM Philippines Standard Time (UTC+8).</p> <p>4.4. Any repair or replacement service must be successfully done within thirty (30) calendar days upon receipt of notice from DOST-ASTI.</p> <p>4.5. The end-user must be able to request technical support by phone, email or through a website.</p> <p>5. DELIVERY AND PAYMENT TERMS</p> <p>5.1. The goods must be delivered within sixty-five (65) calendar days upon issuance of Notice to Proceed (NTP).</p> <p>5.2. Full payment will only be processed once the item is completely delivered, inspected, and accepted by the end-user.</p> <p>5.3. No payment shall be made for supplies and materials not delivered under this contract.</p> |   |     |          |           |
| 2 | <p><b>PCB Fabrication and Assembly</b></p> <p>1. GENERAL OVERVIEW</p> <p>1.1. DOST-ASTI is seeking qualified and competent bidders for the FABRICATION OF ONE (1) LOT OF INTELLIGENT SOLAR CHARGE CONTROLLER FM01 which will be used for STRIIIDER's power subsystem prototyping.</p> <p>1.2. The ABC includes all applicable government taxes</p>   | 1 | lot | 49500.00 | 49,500.00 |

and services charges.

1.3. Detailed specs based on actual manufacturing files from the end-user shall be observed.

## 2. TECHNICAL SPECIFICATIONS

### 2.1. PCB Fabrication Only:

2.1.1. Quantity: Five (5) pcs

2.1.2. PCB Fabrication Specs:

2.1.2.1. Material: FR-4: TG150

2.1.2.2. Number of Layers: Four (4)

2.1.2.3. Dimension: 80 x 50 mm  $\pm$ 1 mm

2.1.2.4. Board Thickness: 1.6 mm  $\pm$ 0.05 mm

2.1.2.5. Copper Weight: 1 oz. Cu (Inner Copper: 1 oz)

2.1.2.6. Silkscreen: White

2.1.2.7. Surface Finish: HASL with lead

2.1.2.8. Solder Mask: Green

2.1.2.9. Minimum Trace Width: 8/6 mil

2.1.2.10. Hole Specs

2.1.2.10.1. Minimum Hole Size: 0.25 mm

2.1.2.10.2. Number of Holes: Three Hundred Forty-Seven (347)

2.1.2.10.3. Via Size: 0.5 mm

### 2.2. PCB Assembly:

2.2.1. Quantity: Five (5) pc from the 2.1.1 above

2.2.2. Board Specs: Refer to 2.1.2

2.2.3. Assembly Specs:

2.2.3.1. Board Type: Single pieces

2.2.3.2. Assembly Side: Top Side Only

2.2.3.3. Test Method: Nail Bed/Flying Probe

2.2.3.4. Number of Components: One Hundred Fifty-One (151) pcs

## 3. NOTES

3.1. This procurement includes:

3.1.1. Board fabrication and components assembly.

3.1.2. Component sourcing based on BOM.

3.1.3. Gerber, BOM and other manufacturing files are available upon request.

3.2. Manufacturing files will be provided by the end-user once the supplier has signed the NDA.

3.3. Charging: STRIIIDER

## 4. WARRANTY AND AFTER-SALES SUPPORT

4.1. These boards must have at least six (6) months of warranty from the time of delivery which covers defects in components, workmanship, and fabrication issues.

4.2. Warranty service shall commence from the date of end-user acceptance.

4.3. Technical support service must be available Monday to Friday (including holidays), during business hours, 9AM -6PM Philippines Standard Time (UTC+8).

4.4. Any repair or replacement service must be successfully done within thirty (30) calendar days upon receipt of notice from DOST-ASTI.

4.5. The end-user must be able to request technical support by phone, email or through a website.

## 5. DELIVERY AND PAYMENT TERMS

5.1. The goods must be delivered within sixty-five (65)

|   |  |   |     |          |           |
|---|--|---|-----|----------|-----------|
|   | <p>calendar days upon issuance of NTP.</p> <p>5.2. Full payment will only be processed once the item is completely delivered, inspected, and accepted by the end-user.</p> <p>5.3. No payment shall be made for supplies and materials not delivered under this contract.</p>  |   |     |          |           |
| 3 | <p><b>PCB Fabrication and Assembly</b></p> <p>1. GENERAL OVERVIEW</p> <p>1.1. DOST-ASTI is seeking qualified and competent bidders for the FABRICATION OF ONE (1) LOT OF POWER DISTRIBUTION BOARD EM1 which will be used to distribute power to devices under the STRIIDER project.</p> <p>1.2. The ABC includes all applicable government taxes and services charges.</p> <p>1.3. Detailed specs based on actual manufacturing files from the end-user shall be observed.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. PCB Fabrication Only:</p> <p>2.1.1. Quantity: Five (5) pcs</p> <p>2.1.2. PCB fabrication specs:</p> <p>2.1.2.1. Material: FR-4: TG150</p> <p>2.1.2.2. Number of layers: Two (2)</p> <p>2.1.2.3. Dimension: 60 x 60 mm</p> <p>2.1.2.4. Board thickness: 1.6 mm</p> <p>2.1.2.5. Copper weight: 1 oz</p> <p>2.1.2.6. Silkscreen: White</p> <p>2.1.2.7. Surface finish: HASL with lead</p> <p>2.1.2.8. Solder mask: Green</p> <p>2.1.2.8.1. Minimum trace width: 0.1524 mm</p> <p>2.1.2.9. Hole Specs</p> <p>2.1.2.9.1. Minimum hole size: 0.25 mm</p> <p>2.1.2.9.2. Number of holes: Forty-seven (47)</p> <p>2.1.2.9.3. Via size: 0.3 mm</p> <p>2.2. PCB Assembly:</p> <p>2.2.1. Quantity: Three (3) pcs from the 2.1.1 above</p> <p>2.2.2. Board specs: Refer 2.1.2</p> <p>2.2.3. Assembly specs:</p> <p>2.2.3.1. Board type: Single pieces</p> <p>2.2.3.2. Assembly side: Top side</p> <p>2.2.3.3. Test method: Flying Probe Test/ Nail Bed</p> <p>2.2.3.4. Number of components: Twenty-three (23)</p> <p>3. NOTES</p> <p>3.1. This procurement includes:</p> <p>3.1.1. Board fabrication and components assembly.</p> <p>3.1.2. Component sourcing based on BOM.</p> <p>3.1.3. Gerber, BOM and other manufacturing files are available upon request.</p> <p>3.2. Manufacturing files will be provided by the end-user once the supplier has signed the NDA.</p> <p>3.3. Charging: STRIIDER</p> <p>4. WARRANTY AND AFTER-SALES SUPPORT</p> <p>4.1. These boards must have at least six (6) months of warranty from the time of delivery which covers defects in components, workmanship, and fabrication issues.</p> <p>4.2. Warranty service shall commence from the date of end-user acceptance.</p> | 1 | lot | 13000.00 | 13,000.00 |

|   |   |   |     |          |           |
|---|---|---|-----|----------|-----------|
|   | <p>4.3. Technical support service must be available Monday to Friday (including holidays), during business hours, 9AM –6PM Philippines Standard Time (UTC+8).</p> <p>4.4. Any repair or replacement service must be successfully done within thirty (30) calendar days upon receipt of notice from DOST-ASTI.</p> <p>4.5. The end-user must be able to request technical support by phone, email or through a website.</p> <p>5. DELIVERY AND PAYMENT TERMS</p> <p>5.1. The goods must be delivered within sixty-five (65) calendar days upon issuance of NTP.</p> <p>5.2. Full payment will only be processed once the item is completely delivered, inspected, and accepted by the end-user.</p> <p>5.3. No payment shall be made for supplies and materials not delivered under this contract.</p>   |   |     |          |           |
| 4 | <p><b>PCB Fabrication and Assembly</b></p> <p>1. GENERAL OVERVIEW</p> <p>1.1. DOST-ASTI is seeking qualified and competent bidders for the FABRICATION OF ONE (1) LOT OF POWER CONTROL AND DISTRIBUTION BOARD (PCDM) EM1 which will be used for Metbuoy+ prototyping.</p> <p>1.2. The ABC includes all applicable government taxes and services charges.</p> <p>1.3. Detailed specs based on actual manufacturing files from the end-user shall be observed.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. PCB Fabrication Only:</p> <p>2.1.1. Quantity: Five (5) pcs</p> <p>2.1.2. PCB fabrication specs:</p> <p>2.1.2.1. Material: FR-4: TG150</p> <p>2.1.2.2. Number of layers: Four (4)</p> <p>2.1.2.3. Dimension: 60 x 33 mm ±1 mm</p> <p>2.1.2.4. Board thickness: 1.6 mm ±0.05 mm</p> <p>2.1.2.5. Copper weight: 1 oz</p> <p>2.1.2.6. Silkscreen: White</p> <p>2.1.2.7. Surface finish: HASL with lead-free</p> <p>2.1.2.8. Solder mask: Red</p> <p>2.1.2.8.1. Minimum trace width: 5/5 mil</p> <p>2.1.2.9. Hole Specs</p> <p>2.1.2.9.1. Minimum hole size: 0.25 mm</p> <p>2.1.2.9.2. Number of holes: One Hundred Sixty-two (162)</p> <p>2.1.2.9.3. Via size: 0.25 mm</p> <p>2.2. PCB Assembly:</p> <p>2.2.1. Quantity: Three (3) pcs from the 2.1.1 above</p> <p>2.2.2. Board specs: Refer 2.1.2</p> <p>2.2.3. Assembly specs:</p> <p>2.2.3.1. Board type: Single pieces</p> <p>2.2.3.2. Assembly side: Top side</p> <p>2.2.3.3. Test method: Flying Probe Test/ Nail Bed</p> <p>2.2.3.4. Number of components: Eighty-three (83)</p> <p>3. NOTES</p> <p>3.1. This procurement includes:</p> <p>3.1.1. Board fabrication and components assembly.</p> | 1 | lot | 57500.00 | 57,500.00 |

|   |   |   |     |          |           |
|---|---|---|-----|----------|-----------|
|   | <p>3.1.2. Component sourcing based on BOM.</p> <p>3.1.3. Gerber, BOM and other manufacturing files are available upon request.</p> <p>3.2. Manufacturing files will be provided by the end-user once the supplier has signed the NDA.</p> <p>3.3. Charging: Metbuoy+</p> <p>4. WARRANTY AND AFTER-SALES SUPPORT</p> <p>4.1. These boards must have at least six (6) months of warranty from the time of delivery which covers defects in components, workmanship, and fabrication issues.</p> <p>4.2. Warranty service shall commence from the date of end-user acceptance.</p> <p>4.3. Technical support service must be available Monday to Friday (including holidays), during business hours, 9AM –6PM Philippines Standard Time (UTC+8).</p> <p>4.4. Any repair or replacement service must be successfully done within thirty (30) calendar days upon receipt of notice from DOST-ASTI.</p> <p>4.5. The end-user must be able to request technical support by phone, email or through a website.</p> <p>5. DELIVERY AND PAYMENT TERMS</p> <p>5.1. The goods must be delivered within sixty-five (65) calendar days upon issuance of NTP.</p> <p>5.2. Full payment will only be processed once the item is completely delivered, inspected, and accepted by the end-user.</p> <p>5.3. No payment shall be made for supplies and materials not delivered under this contract.</p> |   |     |          |           |
| 5 | <p><b>PCB Fabrication and Assembly</b></p> <p>1. GENERAL OVERVIEW</p> <p>1.1. DOST-ASTI is seeking qualified and competent bidders for the FABRICATION OF ONE (1) LOT OF C&amp;DH PRIMARY BOARD EM1 which will be used for Metbuoy+ prototyping.</p> <p>1.2. The ABC includes all applicable government taxes and services charges.</p> <p>1.3. Detailed specs based on actual manufacturing files from the end-user shall be observed.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. PCB Fabrication Only:</p> <p>2.1.1. Quantity: Five (5) pcs</p> <p>2.1.2. PCB fabrication specs:</p> <p>2.1.2.1. Material: FR-4: TG150</p> <p>2.1.2.2. Number of layers: Four (4)</p> <p>2.1.2.3. Dimension: 41 x 25.4 mm</p> <p>2.1.2.4. Board thickness: 1.6 mm</p> <p>2.1.2.5. Copper weight: 1 oz</p> <p>2.1.2.6. Silkscreen: White</p> <p>2.1.2.7. Surface finish: HASL with lead</p> <p>2.1.2.8. Solder mask: Green</p> <p>2.1.2.8.1. Minimum trace width: 3/3 mil</p> <p>2.1.2.9. Hole Specs</p> <p>2.1.2.9.1. Minimum hole size: 0.2 mm</p> <p>2.1.2.9.2. Number of holes: Two Hundred Ninety-three (293)</p> <p>2.1.2.9.3. Via size: 0.2 mm</p>  | 1 | lot | 39500.00 | 39,500.00 |

|   |  |   |     |          |           |
|---|--|---|-----|----------|-----------|
|   | <p>2.2. PCB Assembly:</p> <p>2.2.1. Quantity: Three (3) pcs from the 2.1.1 above</p> <p>2.2.2. Board specs: Refer 2.1.2</p> <p>2.2.3. Assembly specs:</p> <p>2.2.3.1. Board type: Single pieces</p> <p>2.2.3.2. Assembly side: Both side</p> <p>2.2.3.3. Test method: Flying Probe Test/ Nail Bed</p> <p>2.2.3.4. Number of components: Sixty-two (62)</p> <p>3. NOTES</p> <p>3.1. This procurement includes:</p> <p>3.1.1. Board fabrication and components assembly.</p> <p>3.1.2. Component sourcing based on BOM.</p> <p>3.1.3. Gerber, BOM and other manufacturing files are available upon request.</p> <p>3.2. Manufacturing files will be provided by the end-user once the supplier has signed the NDA.</p> <p>3.3. Charging: Metbuoy+</p> <p>4. WARRANTY AND AFTER-SALES SUPPORT</p> <p>4.1. These boards must have at least six (6) months of warranty from the time of delivery which covers defects in components, workmanship, and fabrication issues.</p> <p>4.2. Warranty service shall commence from the date of end-user acceptance.</p> <p>4.3. Technical support service must be available Monday to Friday (including holidays), during business hours, 9AM –6PM Philippines Standard Time (UTC+8).</p> <p>4.4. Any repair or replacement service must be successfully done within thirty (30) calendar days upon receipt of notice from DOST-ASTI.</p> <p>4.5. The end-user must be able to request technical support by phone, email or through a website.</p> <p>5. DELIVERY AND PAYMENT TERMS</p> <p>5.1. The goods must be delivered within sixty-five (65) calendar days upon issuance of NTP.</p> <p>5.2. Full payment will only be processed once the item is completely delivered, inspected, and accepted by the end-user.</p> <p>5.3. No payment shall be made for supplies and materials not delivered under this contract.</p> |   |     |          |           |
| 6 | <p><b>PCB Fabrication and Assembly</b></p> <p>1. GENERAL OVERVIEW</p> <p>1.1. DOST-ASTI is seeking qualified and competent bidders for the FABRICATION OF ONE (1) LOT OF C&amp;DH BASEBOARD EM1 which will be used for Metbuoy+ prototyping.</p> <p>1.2. The ABC includes all applicable government taxes and services charges.</p> <p>1.3. Detailed specs based on actual manufacturing files from the end-user shall be observed.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. PCB Fabrication Only:</p> <p>2.1.1. Quantity: Five (5) pcs</p> <p>2.1.2. PCB fabrication specs:</p> <p>2.1.2.1. Material: FR-4: TG150</p> <p>2.1.2.2. Number of layers: Four (4)</p>  | 1 | lot | 42000.00 | 42,000.00 |

- 2.1.2.3. Dimension: 60 x 82.5 mm ±0.05 mm
- 2.1.2.4. Board thickness: 1.6 mm
- 2.1.2.5. Copper weight: 1 oz
- 2.1.2.6. Silkscreen: White
- 2.1.2.7. Surface finish: HASL with lead
- 2.1.2.8. Solder mask: Green
  - 2.1.2.8.1. Minimum trace width: 6/6 mil
- 2.1.2.9. Hole Specs
  - 2.1.2.9.1. Minimum hole size: 0.25 mm
  - 2.1.2.9.2. Number of holes: Two Hundred Seven-six (276)
  - 2.1.2.9.3. Via size: 0.25 mm
- 2.2. PCB Assembly:
  - 2.2.1. Quantity: Three (3) pcs from the 2.1.1 above
  - 2.2.2. Board specs: Refer 2.1.2
  - 2.2.3. Assembly specs:
    - 2.2.3.1. Board type: Single pieces
    - 2.2.3.2. Assembly side: Top side
    - 2.2.3.3. Test method: Flying Probe Test/ Nail Bed
    - 2.2.3.4. Number of components: Ninety-nine (99)
- 3. NOTES
  - 3.1. This procurement includes:
    - 3.1.1. Board fabrication and components assembly.
    - 3.1.2. Component sourcing based on BOM.
    - 3.1.3. Gerber, BOM and other manufacturing files are available upon request.
  - 3.2. Manufacturing files will be provided by the end-user once the supplier has signed the NDA.
  - 3.3. Charging: Metbuoy+
- 4. WARRANTY AND AFTER-SALES SUPPORT
  - 4.1. These boards must have at least six (6) months of warranty from the time of delivery which covers defects in components, workmanship, and fabrication issues.
  - 4.2. Warranty service shall commence from the date of end-user acceptance.
  - 4.3. Technical support service must be available Monday to Friday (including holidays), during business hours, 9AM –6PM Philippines Standard Time (UTC+8).
  - 4.4. Any repair or replacement service must be successfully done within thirty (30) calendar days upon receipt of notice from DOST-ASTI.
  - 4.5. The end-user must be able to request technical support by phone, email or through a website.
- 5. DELIVERY AND PAYMENT TERMS
  - 5.1. The goods must be delivered within sixty-five (65) calendar days upon issuance of NTP.
  - 5.2. Full payment will only be processed once the item is completely delivered, inspected, and accepted by the end-user.
  - 5.3. No payment shall be made for supplies and materials not delivered under this contract.

**TOTAL APPROVED BUDGET FOR THE CONTRACT (ABC):**

**Php 224,000.00**



## GUIDELINES

### A. Content and Format of Quotations

1. The Quotation/s must include the RFQ Number or the PR Number indicated above
2. Bidders must specify the BRAND NAMES and MODEL NAMES/NUMBER for the following goods:
  - a. Computer and electronic equipment and its accessories or peripherals
  - b. Software applications, programs, and digital licenses
  - c. Commercial off-the-shelf electronic devices or components
3. The Quotation/s must indicate the registered business name of the company (or individual), business address and contact number. It must also include the full name and signature of the company's authorized representative.
4. BIR Certificate of Registration for new DOST-ASTI suppliers.

### B. Eligibility Requirements

Pursuant to Annex "H" or Consolidated Guidelines for the Alternative Methods of Procurement of the 2016 Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184, the following documents shall be submitted except for Repeat Order, Shopping under Section 52.1(a), and Negotiated Procurement under Sections 53.1 (Two-Failed Biddings), and 53.5 (Agency-to-Agency):

#### For Procurement of Goods

1. Upon submission of quotation
  - a. Valid PhilGEPS Registration Number / Organization ID
  - b. Valid Mayor's/Business Permit
2. Upon issuance of Notice of Award (NOA)
  - a. Omnibus Sworn Statement (shall be required only for procurement projects with ABC above P50,000.00)
  - b. Income/Business Tax Return (For ABCs above P500,000.00)

#### For Procurement of Infrastructure

1. Upon submission of quotation
  - a. Valid PhilGEPS Registration Number / Organization ID
  - b. Valid Mayor's/Business Permit
  - c. Valid PCAB License
2. Upon issuance of NOA
  - a. Omnibus Sworn Statement (shall be required only for procurement projects with ABC above P50,000.00)
  - b. Income/Business Tax Return (For ABCs above P500,000.00)

*\*Requirements under Section 53.6 (Scientific, Scholarly or Artistic Work, Exclusive Technology and Media Services) of the revised IRR of RA No. 9184 will not apply to artists such as singer, performer, poet, writer, painter and sculptor who are engaged in business.*

*\*\*Requirements under Section 53.10 (Lease of Real Property or Venue) of the revised IRR of RA No. 9184, specifically Mayor's/Business Permit, PhilGEPS Registration Number and Income/Business Tax Return will not apply to government agencies as lessors.*

*\*\*\*For methods of procurement requiring Mayor's Permit and PhilGEPS Registration Number, valid Certificate of Platinum Membership may be submitted in lieu of the said documents.*

### C. Terms and Conditions

1. Additional requirements, if necessary, may be requested by the BAC depending on the item to be bid;
2. All transactions are subject to creditable withholding tax and final Value Added Tax or percentage tax per revenue regulation/s of the BIR;
3. Liquidated damages of at least equal to one-tenth of one percent (0.001) of the cost of the unperformed portion for every day of delay shall be imposed by the DOST-ASTI pursuant to Section 68 of the revised IRR of RA No. 9184; and
4. The DOST-ASTI reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.