



**DOST-ASTI Bids and Awards Committee
REQUEST FOR QUOTATION**

Kind of Procurement Activity:	Negotiated Procurement:Small-value Procurement		
Deadline of Submission of Bids:	Apr-26-2024, 2:00 PM		
RFQ No.:	24-04-4775	Date:	April-22-2024
PR No.:	GAA-24-04-19021	Date:	April-08-2024

The Department of Science and Technology (DOST) - Advanced Science and Technology Institute (ASTI), through its Bids and Awards Committee (BAC), intends to procure the enlisted item/s below. Bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, except otherwise specified in the requirements. Award may be considered for prospective bidder/s proven to be the single/lowest calculated and responsive quotation among all other quotations. Guidelines on the format of quotations and eligibility documents are listed below. Kindly follow the prescribed GUIDELINES to avoid DISQUALIFICATION.

Quotations may be submitted 1) manually to the BAC Secretariat at G/F DOST-ASTI Bldg., UP Technology Park Complex, CP Garcia Ave., UP Campus, Diliman, Quezon City or 2) sent via electronic mail at bac-sec@asti.dost.gov.ph. For further information, please contact the BAC Secretariat at +63 2 8249-8500 loc. 1206/1212.

Thank you.

BAYANI BENJAMIN R. LARA
BAC Chairperson

NO.	TECHNICAL SPECIFICATIONS	QTY	UNIT	UNIT PRICE(Php)	TOTAL PRICE(Php)
1	<p>Laboratory Tool - Precision DC Energy Analyzer/Power Profiler</p> <p>1. GENERAL OVERVIEW</p> <p>1.1. DOST-ASTI is seeking qualified and competent bidders for the SUPPLY AND DELIVERY OF ONE (1) UNIT OF PRECISION DC ENERGY ANALYZER/POWER PROFILER to be used for power and energy profiling purposes of various prototypes and modules of the projects.</p> <p>1.2. The Approved Budget for the Contract (ABC) includes all applicable government taxes and services charges.</p> <p>2. TECHNICAL SPECIFICATIONS</p> <p>2.1. Power supply:</p> <p>2.1.1. Output specs:</p> <p>2.1.1.1. Voltage: 0 - 25 V</p> <p>2.1.1.2. Setting resolution: 1 mV</p> <p>2.1.1.3. Power (maximum):</p> <p>2.1.1.3.1. Continuous: 30 W</p> <p>2.1.1.3.2. Peak: 50 W</p> <p>2.1.2. Self-consumption: 3.5 W</p> <p>2.1.3. Voltage between:</p> <p>2.1.3.1. USB/DC jack and main: -200 to 200 V</p> <p>2.1.3.2. Expansion DGND/AGND and main: -200 to</p>	1	unit	150000.00	150,000.00

- 200 V
- 2.1.4. Sink specs:
 - 2.1.4.1. Current: 0 – 5 A
 - 2.1.4.2. Setting resolution: 1 μ A
 - 2.1.4.3. Voltage: 0 – 25 V
 - 2.1.4.4. Power (maximum):
 - 2.1.4.4.1. Continuous: 15 W
 - 2.1.4.4.2. Peak: 125 W
- 2.2. Current measurement:
 - 2.2.1. Accuracy (0 – 5 A): \pm (0.05% +25 mA)
 - 2.2.2. Resolution: 0.4 nA
 - 2.2.3. Internal sample rate: 250 ksps
 - 2.2.4. Analog bandwidth (3 dB): 50 kHz
- 2.3. Voltage measurement:
 - 2.3.1. Accuracy: \pm (0.01% +1 mV)
 - 2.3.2. Internal sample rate: 250 ksps
 - 2.3.3. Analog bandwidth (3 dB): 50 kHz
 - 2.3.4. Output voltage readback resolution: 3.5 μ V
- 2.4. Bitrate: 50 bps – 5.25 Mbps
- 2.5. Digital I/O:
 - 2.5.1. Operating voltage: 1.2 – 5 V
 - 2.5.2. VIL:
 - 2.5.2.1. Low-level input voltage: $V_{io} \cdot 0.2$ V
 - 2.5.2.2. High-level input voltage: $V_{io} \cdot 0.8$ V
 - 2.5.3. I_{max} maximum sink/source current (total for all GPIOs): -10 to 10 mA
- 2.6. ADC, Differential Analog/Digital Conversion pins ADC+:
 - 2.6.1. Voltage input: -10 to 25 V
 - 2.6.2. Shunt voltage range: -102.4 to 102.4 mV
 - 2.6.3. Resolution: 12.2 nV
 - 2.6.4. Accuracy: \pm (0.01% +1 μ V)
 - 2.6.5. Input impedance: >100M ohm
- 2.7. ADC, Single ended Analog/Digital Conversion pins ADC+:
 - 2.7.1. Voltage input: -10 to 25 V
 - 2.7.2. Resolution: 3.1 μ V
 - 2.7.3. Accuracy: \pm (0.01% +250 μ V)
 - 2.7.4. Input impedance: >100M ohm
- 2.8. SENSE, pins SENSE- and SENSE+:
 - 2.8.1. Voltage input: -10 to 25 V
 - 2.8.2. Resolution: 3.1 μ V
 - 2.8.3. Accuracy: \pm (0.01% +250 μ V)
 - 2.8.4. Input impedance: >100M ohm
- 2.9. Expansion port power supply:
 - 2.9.1. Output:
 - 2.9.1.1. Voltage: 0 – 15 V
 - 2.9.1.2. Voltage setting resolution: 5 mV
 - 2.9.1.3. Current: 600 mA
 - 2.9.1.4. Voltage between USB/DC jack GND and expansion port DGND/AGND: -200 to 200 V
- 2.10. DC jack:
 - 2.10.1. Input:
 - 2.10.1.1. Voltage: 7 – 20 V
 - 2.10.1.2. Current: 5 A
- 2.11. USB:
 - 2.11.1. Voltage: 4.75 – 20 V
 - 2.11.2. Current: 3 A
- 2.12. Can also measure:
 - 2.12.1. Inrush current
 - 2.12.2. Leakage current

	<p>2.13. No burden voltage 2.14. Adjustable sample rate up to 50 ksps 2.15. Can be used as isolated power supply 2.16. UART sync with the measurement 2.17. Equipped with multiplatform UI and software 2.18. Can record and display real-time currents, voltage, power and/or UART logs</p> <p>3. WARRANTY 3.1. Must have at least six (6) months of warranty from the time of delivery which covers defects in materials. 3.2. Warranty service shall commence from the date of end-user acceptance. 3.3. Any replacement service must be successfully performed within fifteen (15) calendar days.</p> <p>4. DELIVERY AND PAYMENT TERMS 4.1. The goods must be delivered within thirty (30) calendar days upon issuance of Notice to Proceed (NTP). 4.2. Full payment will only be given once the item is completely delivered, inspected, and accepted by the End-user. 4.3. No payment shall be made for the supplies and materials not yet delivered under this contract.</p>				
2	<p>Laboratory Tool - Laser Engraver/Cutter</p> <p>1. GENERAL OVERVIEW 1.1. DOST-ASTI is seeking qualified and competent bidders for the SUPPLY AND DELIVERY OF ONE (1) UNIT OF LASER ENGRAVER/CUTTER to be used for precise cutting and engraving of materials being used during the testing phases. 1.2. The ABC includes all applicable government taxes and services charges.</p> <p>2. TECHNICAL SPECIFICATIONS 2.1. Power: 240 W (maximum) 2.2. Laser specs: 2.2.1. Module output power: 40 W 2.2.2. Spot: 0.1 mm / 0.15 mm (adjustable) 2.3. Wavelength: 455 ±5 mm 2.4. Engraving speed: 25,000 mm/min (maximum) 2.5. Working area: 400 x 415 mm 2.6. Voltage: 2.6.1. Input: 100 – 240 V ~50 – 60 Hz 2.6.2. Output: 24 DC, 9 A 2.7. Connecting interfaces: TF card, Type-C 2.8. Certification: 2.8.1. IEC60825 2.8.2. FDA 2.8.3. CE 2.8.4. ROHS 2.8.5. FCC 2.8.6. UKCA 2.8.7. UL Report 2.8.8. PSE 2.9. Operating system: Windows, MacOS 2.10. File type: jpeg, jpg, png, bmp, svg, dxf 2.11. Equipped with adjustable light beam 2.12. Equipped with special five safety protection</p>	1	unit	93500.00	93,500.00

features:

- 2.12.1. Bidirectional limit switch
- 2.12.2. Active stop function
- 2.12.3. Security lock design
- 2.12.4. Emergency stop button
- 2.12.5. Laser protective cover

3. WARRANTY

- 3.1. Must have at least six (6) months of warranty from the time of delivery which covers defects in materials.
- 3.2. Warranty service shall commence from the date of end-user acceptance.
- 3.3. Any replacement service must be successfully performed within fifteen (15) calendar days.

4. DELIVERY AND PAYMENT TERMS

- 4.1. The goods must be delivered within thirty (30) calendar days upon issuance of NTP.
- 4.2. Full payment will only be given once the item is completely delivered, inspected, and accepted by the End-user.
- 4.3. No payment shall be made for the supplies and materials not yet delivered under this contract.

TOTAL APPROVED BUDGET FOR THE CONTRACT (ABC):

Php 243,500.00

GUIDELINES

A. Content and Format of Quotations

1. The Quotation/s must include the RFQ Number or the PR Number indicated above
2. Bidders must specify the BRAND NAMES and MODEL NAMES/NUMBER for the following goods:
 - a. Computer and electronic equipment and its accessories or peripherals
 - b. Software applications, programs, and digital licenses
 - c. Commercial off-the-shelf electronic devices or components
3. The Quotation/s must indicate the registered business name of the company (or individual), business address and contact number. It must also include the full name and signature of the company's authorized representative.
4. BIR Certificate of Registration for new DOST-ASTI suppliers.

B. Eligibility Requirements

Pursuant to Annex "H" or Consolidated Guidelines for the Alternative Methods of Procurement of the 2016 Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184, the following documents shall be submitted except for Repeat Order, Shopping under Section 52.1(a), and Negotiated Procurement under Sections 53.1 (Two-Failed Biddings), and 53.5 (Agency-to-Agency):

For Procurement of Goods

1. Upon submission of quotation
 - a. Valid PhilGEPS Registration Number / Organization ID
 - b. Valid Mayor's/Business Permit
2. Upon issuance of Notice of Award (NOA)
 - a. Omnibus Sworn Statement (shall be required only for procurement projects with ABC above P50,000.00)
 - b. Income/Business Tax Return (For ABCs above P500,000.00)

For Procurement of Infrastructure

1. Upon submission of quotation
 - a. Valid PhilGEPS Registration Number / Organization ID
 - b. Valid Mayor's/Business Permit
 - c. Valid PCAB License

2. Upon issuance of NOA

- a. Omnibus Sworn Statement (shall be required only for procurement projects with ABC above P50,000.00)
- b. Income/Business Tax Return (For ABCs above P500,000.00)

**Requirements under Section 53.6 (Scientific, Scholarly or Artistic Work, Exclusive Technology and Media Services) of the revised IRR of RA No. 9184 will not apply to artists such as singer, performer, poet, writer, painter and sculptor who are engaged in business.*

***Requirements under Section 53.10 (Lease of Real Property or Venue) of the revised IRR of RA No. 9184, specifically Mayor's/Business Permit, PhilGEPS Registration Number and Income/Business Tax Return will not apply to government agencies as lessors.*

****For methods of procurement requiring Mayor's Permit and PhilGEPS Registration Number, valid Certificate of Platinum Membership may be submitted in lieu of the said documents.*

C. Terms and Conditions

1. Additional requirements, if necessary, may be requested by the BAC depending on the item to be bid;
2. All transactions are subject to creditable withholding tax and final Value Added Tax or percentage tax per revenue regulation/s of the BIR;
3. Liquidated damages of at least equal to one-tenth of one percent (0.001) of the cost of the unperformed portion for every day of delay shall be imposed by the DOST-ASTI pursuant to Section 68 of the revised IRR of RA No. 9184; and
4. The DOST-ASTI reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.