



ASTI-FM 03-10
REV 4/ 9 MAR 2022

**DOST-ASTI Bids and Awards Committee
REQUEST FOR QUOTATION**

Kind of Procurement Activity:	Negotiated Procurement:Small-value Procurement		
Deadline of Submission of Bids:	Apr-04-2022, 2:00 PM		
RFQ No.:	22-03-3785	Date:	March-29-2022
PR No.:	GAA-22-03-13287	Date:	March-01-2022

The Department of Science and Technology (DOST) - Advanced Science and Technology Institute (ASTI), through its Bids and Awards Committee (BAC), intends to procure the enlisted item/s below. Bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, except otherwise specified in the requirements. Award may be considered for prospective bidder/s proven to be the single/lowest calculated and responsive quotation among all other quotations. Guidelines on the format of quotations and eligibility documents are listed below. Kindly follow the prescribed GUIDELINES to avoid DISQUALIFICATION.

Quotations may be submitted 1) manually to the BAC Secretariat at G/F DOST-ASTI Bldg., UP Technology Park Complex, CP Garcia Ave., UP Campus, Diliman, Quezon City or 2) sent via electronic mail at bac-sec@asti.dost.gov.ph. For further information, please contact the BAC Secretariat at +63 2 8249-8500 loc. 1206/1212.

Thank you.

Bayan Benjamin R. Lara
BAYANI BENJAMIN R. LARA
BAC Chairperson

NO.	TECHNICAL SPECIFICATIONS	QTY	UNIT	UNIT PRICE(Php)	TOTAL PRICE(Php)
1	18650 Battery 1. Objective 1.1. Item will be used for assembling the power module for the prototype unit of the project. 1.2. The specifications written here are of minimum requirements, unless otherwise stated. 1.3. Item is required to be at least 100 pieces in quantity. 1.4. Scope of service: supply and delivery of 18650 Lithium-ion Rechargeable Battery. 2. Technical Specifications 2.1. Battery chemistry: Lithium-ion 2.2. Battery format: 18650 (18mm x 65mm) 2.3. Voltage: 3.7 V 2.4. Current Rating: 3350 mAh 2.5. Charging environment temperature range: 32° to 113° F 2.6. In use temperature range: -4° to 140° F 2.7. Size: 0.73" 2.8. Diameter x 2.56" H 2.9. Weight: 0.1 lbs. 3. Warranty 3.1. Supplier warrants the item against defects in manufacturing and shipping and delivery issues. 3.2. Defective and incorrect items shall be replaced.	100	pc	220.00	22,000.00

	<p>3.3. Warranty Period: at least one year.</p> <p>4. Payment and Delivery Terms</p> <p>4.1. Price is inclusive of government taxes, delivery, etc.</p> <p>4.2. Delivery: 60 days upon issuance of NTP.</p>				
2	<p>Battery Analyzer</p> <p>1. Objective</p> <p>1.1. Item will be used as a tool for analyzing health of batteries.</p> <p>1.2. The specifications written here are of minimum requirements, unless otherwise stated.</p> <p>1.3. Item is required to be at least 2 pieces in quantity.</p> <p>1.4. Scope of service: supply and delivery of Battery Analyzer.</p> <p>2. Technical Specifications</p> <p>2.1. Battery Analyzer for LiFe LiPo: LiHv NiMH NiCd Pb</p> <p>2.2. Dimension: 136.6x104.8x107mm</p> <p>2.3. Weight: 879g</p> <p>2.4. Accepted Voltage Range: 5.40-35.00V</p> <p>2.5. Low Voltage Alert: <5.2V</p> <p>2.6. High Voltage Alert: >35V Max.</p> <p>2.7. Discharge Power: 250W</p> <p>2.8. Discharge Current Range: 0.01A-35.00A</p> <p>2.9. Discharge Power: 250W</p> <p>2.10. Display</p> <p>2.10.1. Current Consumption in Sleep Mode: <100uA</p> <p>2.10.2. Capacity Display Accuracy: ±3%</p> <p>2.10.3. Current Display Accuracy: 0.01-10.00A ±60mA, 10.00-35.00A ±3%</p> <p>2.10.4. Voltage Display Accuracy: 5.4-10V <80mV, 10-20V <120mV, 20-35V <160mV</p> <p>2.11. Package contents</p> <p>2.11.1. Battery Analyzer</p> <p>2.11.2. Discharging cable with XT60 connector</p> <p>2.11.3. Fuse</p> <p>2.11.4. Instruction Manual</p> <p>3. Warranty</p> <p>3.1. Supplier warrants the item against defects in manufacturing and shipping and delivery issues.</p> <p>3.2. Defective and incorrect items shall be replaced.</p> <p>3.3. Warranty Period: at least one year.</p> <p>4. Payment and Delivery Terms</p> <p>4.1. Price is inclusive of government taxes, delivery, etc.</p> <p>4.2. Delivery: 60 days upon issuance of NTP.</p>	2	pc	4300.00	8,600.00
3	<p>Battery Charger</p> <p>1. Objective</p> <p>1.1. Item will be used as a tool for charging batteries.</p> <p>1.2. The specifications written here are of minimum requirements, unless otherwise stated.</p> <p>1.3. Item is required to be at least 2 pieces in quantity.</p> <p>1.4. Scope of service: supply and delivery of Battery Charger.</p> <p>2. Technical Specifications</p> <p>2.1. Accepts AC input from 100 V to 240 V (50 Hz to 60 Hz) or DC input from 11 V to 18 V</p> <p>2.2. Charges up to 20 V Pb batteries</p> <p>2.3. Charges up to 15 NiMH or NiCd cells</p> <p>2.4. Charges up to 6 LiPo, Li-ion, or LiFe cells</p>	2	pc	2800.00	5,600.00

	<p>2.5. Integrated independent lithium battery balancer for up to 6 cells</p> <p>2.6. Fast charge and storage mode for lithium batteries</p> <p>2.7. Check the voltage of individual LiPo cells within a multi-cell battery</p> <p>2.8. Charge current range: from 0.1 A to 6.0 A (50 W max)</p> <p>2.9. Discharge current range from 0.1 A to 2.0 A (5 W max)</p> <p>2.10. Delta-peak sensitivity (automatic charge termination using delta-peak voltage detection)</p> <p>2.11. Automatically peak charge batteries up to three times in a row to ensure they are fully charged</p> <p>2.12. Input power monitor to prevent damage to a car battery when charging in the field</p> <p>2.13. Charge-current limiting (NiMH, NiCd)</p> <p>2.14. Internal resistance meter</p> <p>2.15. Control over the end voltage when charging</p> <p>2.16. Stores up to ten user-created program settings</p> <p>2.17. Cyclic charging/discharging</p> <p>2.18. Temperature monitoring (requires an external temperature probe not included in this kit)</p> <p>2.19. 16x2 character LCD display</p> <p>2.20. PC software for optionally monitoring and controlling the charging process from a computer</p> <p>2.21. Included parts</p> <p>2.21.1. Professional balance charger/discharger with built-in AC adapter (~145 x 135 x 35 mm and ~640 g)</p> <p>2.21.2. AC input power adapter cable with three-prong, US-style plug</p> <p>2.21.3. DC input power cable – barrel jack to alligator clips</p> <p>2.21.4. Output charge cable – 4 mm banana plugs to a male T connector</p> <p>2.21.5. Various battery connection cables – female T connector to: alligator clips, male Futaba connector, male JST RCY connector, male XT60 connector</p> <p>2.21.6. Printed instruction manual</p> <p>2.22. Latest product version</p> <p>3. Warranty</p> <p>3.1. Supplier warrants the item against defects in manufacturing and shipping and delivery issues.</p> <p>3.2. Defective and incorrect items shall be replaced.</p> <p>3.3. Warranty Period: at least one year.</p> <p>4. Payment and Delivery Terms</p> <p>4.1. Price is inclusive of government taxes, delivery, etc.</p> <p>4.2. Delivery: 60 days upon issuance of NTP.</p>				
4	<p>Laptop Riser</p> <p>1. Objective</p> <p>1.1. Item will be used for for everyday office work.</p> <p>1.2. The specifications written here are of minimum requirements, unless otherwise stated.</p> <p>1.3. Item is required to be at least 5 pieces in quantity.</p> <p>1.4. Scope of service: supply and delivery of Laptop Riser.</p> <p>2. Technical Specifications</p> <p>2.1. Adjustable Laptop Stand</p> <p>2.2. Material: Aluminum Alloy</p> <p>2.3. Adjustable to two angles</p>	7	pc	1950,00	13,650.00

	<p>2.4. Slim and portable</p> <p>2.5. Compatible with 10"-16" laptops</p> <p>2.6. Max 15KG</p> <p>2.7. Rubber pad protects your devices well from scratches</p> <p>3. Warranty</p> <p>3.1. Supplier warrants the item against defects in manufacturing and shipping and delivery issues.</p> <p>3.2. Defective and incorrect items shall be replaced.</p> <p>3.3. Warranty Period: at least one year.</p> <p>4. Payment and Delivery Terms</p> <p>4.1. Price is inclusive of government taxes, delivery, etc.</p> <p>4.2. Delivery: 60 days upon issuance of NTP.</p>				
5	<p>Headset</p> <p>1. Objective</p> <p>1.1. Item will be used for everyday office work.</p> <p>1.2. The specifications written here are of minimum requirements, unless otherwise stated.</p> <p>1.3. Item is required to be at least 5 pieces in quantity.</p> <p>1.4. Scope of service: supply and delivery of Headset - Wired.</p> <p>2. Technical Specifications</p> <p>2.1. Stereo 3.5 mm In-ear Headset</p> <p>2.2. Connector: 3.5mm</p> <p>2.3. Control Button: Yes</p> <p>2.4. Active Noise-Cancellation: Yes</p> <p>2.5. Style: In-Ear</p> <p>2.6. Communication: Wired</p> <p>2.7. Vocalism Principle: Dynamic</p> <p>2.8. Volume Control: Yes</p> <p>2.9. With Microphone: Yes</p> <p>2.10. Resistance: 32Ω</p> <p>2.11. Frequency Response Range: 20-20000Hz</p> <p>2.12. Sensitivity: 105±3dB</p> <p>2.13. Line Length: 1.2m</p> <p>2.14. Plug Type: Line Type</p> <p>2.15. Color: Black</p> <p>2.16. Material: Aluminum Alloy + ABS + TPE + Weaving</p> <p>2.17. Package contents:</p> <p>2.17.1. User manual</p> <p>2.17.2. Warranty Card</p> <p>3. Warranty</p> <p>3.1. Supplier warrants the item against defects in manufacturing and shipping and delivery issues.</p> <p>3.2. Defective and incorrect items shall be replaced.</p> <p>3.3. Warranty Period: at least one year.</p> <p>4. Payment and Delivery Terms</p> <p>4.1. Price is inclusive of government taxes, delivery, etc.</p> <p>4.2. Delivery: 60 days upon issuance of NTP.</p>	7	pc	500.00	3,500.00
6	<p>Headset Adapter Cable</p> <p>1. Objective</p> <p>1.1. Item will be used for everyday office work.</p> <p>1.2. The specifications written here are of minimum requirements, unless otherwise stated.</p> <p>1.3. Item is required to be at least 5 pieces in quantity.</p> <p>1.4. Scope of service: supply and delivery of Headset</p>	7	pc	350.00	2,450.00

	<p>Adapter Cable.</p> <p>2. Technical Specifications</p> <p>2.1. 3.5mm Y Splitter to 3.5mm Mic and Audio Adapter</p> <p>2.2. 24K Gold Plated for better sound quality and less loss</p> <p>2.3. Input: 3.5mm 4-position female for headset or earphone</p> <p>2.4. Output 1: 3.5mm 3-position male for Headphone Jack on your PC/Laptop</p> <p>2.5. Output 2: 3.5mm 3-position male for Mic Jack on your PC/Laptop</p> <p>2.6. Material: Oxygen-free copper provide maximum's conductivity and durability.</p> <p>2.7. Aluminum alloy case</p> <p>2.8. Flexible, nylon-braided cable length at least 10cm</p> <p>3. Warranty</p> <p>3.1. Supplier warrants the item against defects in manufacturing and shipping and delivery issues.</p> <p>3.2. Defective and incorrect items shall be replaced.</p> <p>3.3. Warranty Period: at least one year.</p> <p>4. Payment and Delivery Terms</p> <p>4.1. Price is inclusive of government taxes, delivery, etc.</p> <p>4.2. Delivery: 60 days upon issuance of NTP.</p>				
7	<p>Spot Welder Pen - Terminal Connector</p> <p>1. Objective</p> <p>1.1. Item will be used as a supply/accessory for spot welding.</p> <p>1.2. The specifications written here are of minimum requirements, unless otherwise stated.</p> <p>1.3. Item is required to be at least 1 piece in quantity.</p> <p>1.4. Scope of service: supply and delivery of Spot Welder Pen - Terminal Connector.</p> <p>2. Technical Specifications</p> <p>2.1. Suitable for 18650 lithium batteries</p> <p>2.2. Double terminal</p> <p>2.3. Length: 50cm</p> <p>2.4. Diameter: 25mm sq</p> <p>3. Warranty</p> <p>3.1. Supplier warrants the item against defects in manufacturing and shipping and delivery issues.</p> <p>3.2. Defective and incorrect items shall be replaced.</p> <p>3.3. Warranty Period: at least one year.</p> <p>4. Payment and Delivery Terms:</p> <p>4.1. Price is inclusive of government taxes, delivery, etc.</p> <p>4.2. Delivery: 60 days upon issuance of NTP.</p>	1	pc	1550.00	1,550.00
8	<p>Spot Welder Pen - Quick Connector</p> <p>1. Objective</p> <p>1.1. Item will be used as a supply/accessory for spot welding.</p> <p>1.2. The specifications written here are of minimum requirements, unless otherwise stated.</p> <p>1.3. Item is required to be at least 1 piece in quantity.</p> <p>1.4. Scope of service: supply and delivery of Spot Welder Pen - Quick Connector.</p> <p>2. Technical Specifications</p> <p>2.1. Suitable for 18650 lithium batteries</p> <p>2.2. 10-25 Quick Connector</p>	1	pc	1700.00	1,700.00

	<p>2.3. Length: 50cm 2.4. Diameter: 25mm sq 3. Warranty 3.1. Supplier warrants the item against defects in manufacturing and shipping and delivery issues. 3.2. Defective and incorrect items shall be replaced. 3.3. Warranty Period: at least one year. 4. Payment and Delivery Terms 4.1. Price is inclusive of government taxes, delivery, etc. 4.2. Delivery: 60 days upon issuance of NTP.</p>				
9	<p>Spot Welder Pen Pin 1. Objective 1.1. Item will be used as a supply for spot welding. 1.2. The specifications written here are of minimum requirements, unless otherwise stated. 1.3. Item is required to be at least 1 piece in quantity. 1.4. Scope of service: supply and delivery of Spot Welder Pen Pin. 2. Technical Specifications 2.1. Suitable for 18650 lithium batteries 2.2. 10 pcs per pack 2.3. Length: 100mm / 3.93" 2.4. Diameter: 1.5mm / 0.0059 3. Warranty 3.1. Supplier warrants the item against defects in manufacturing and shipping and delivery issues. 3.2. Defective and incorrect items shall be replaced. 3.3. Warranty Period: at least one year. 4. Payment and Delivery Terms 4.1. Price is inclusive of government taxes, delivery, etc. 4.2. Delivery: 60 days upon issuance of NTP.</p>	1	pc	900.00	900.00
10	<p>USB Data Cable 1. Objective 1.1. Item will be used as accessory for connecting devices via USB. 1.2. The specifications written here are of minimum requirements, unless otherwise stated. 1.3. Item is required to be at least 3 pieces in quantity. 1.4. Scope of service: supply and delivery of USB Data Cable. 2. Technical Specifications 2.1. Interface: USB 3.1 type A to C 2.2. Length: 1.5M 2.3. USB3.1 Gen2 2.4 Data Transfer: Up to 10Gbps 3. Warranty 3.1. Supplier warrants the item against defects in manufacturing and shipping and delivery issues. 3.2. Defective and incorrect items shall be replaced. 3.3. Warranty Period: at least one year. 4. Payment and Delivery Terms 4.1. Price is inclusive of government taxes, delivery, etc. 4.2. Delivery: 60 days upon issuance of NTP.</p>	3	pc	750.00	2,250.00
11	<p>USB Data Extension Cable 1. Objective</p>	4	pc	650.00	2,600.00

	<p>1.1. Item will be used as accessory for connecting devices via USB.</p> <p>1.2. The specifications written here are of minimum requirements, unless otherwise stated.</p> <p>1.3. Item is required to be at least 5 pieces in quantity.</p> <p>1.4. Scope of service: supply and delivery of USB Data Extension Cable.</p> <p>2. Technical Specifications</p> <p>2.1. Interface: USB C Extension Cable (Male to Female)</p> <p>2.2. USB3.1 Gen2</p> <p>2.3. Data Transfer: Up to 10Gbps</p> <p>2.4. Length: At least 1M</p> <p>2.5. Aluminum alloy shell</p> <p>2.6. Nylon braided cord</p> <p>3. Warranty</p> <p>3.1. Supplier warrants the item against defects in manufacturing and shipping and delivery issues.</p> <p>3.2. Defective and incorrect items shall be replaced.</p> <p>3.3. Warranty Period: at least one year.</p> <p>4. Payment and Delivery Terms</p> <p>4.1. Price is inclusive of government taxes, delivery, etc.</p> <p>4.2. Delivery: 60 days upon issuance of NTP.</p>				
12	<p>USB Data Extension Cable - 90 Degrees</p> <p>1. Objective</p> <p>1.1. Item will be used as accessory for connecting devices via USB.</p> <p>1.2. The specifications written here are of minimum requirements, unless otherwise stated.</p> <p>1.3. Item is required to be at least 5 pieces in quantity.</p> <p>1.4. Scope of service: supply and delivery of USB Data Extension Cable - 90 Degrees.</p> <p>2. Technical Specifications</p> <p>2.1. Interface: USB C Extension Cable (Male to Female)</p> <p>2.2. USB3.1 Gen2</p> <p>2.3. Data Transfer: Up to 10Gbps</p> <p>2.4. Length: At least 0.5M</p> <p>2.5. Aluminum alloy shell</p> <p>2.6. Nylon braided cord</p> <p>2.7. 90 Degree Connector</p> <p>3. Warranty</p> <p>3.1. Supplier warrants the item against defects in manufacturing and shipping and delivery issues.</p> <p>3.2. Defective and incorrect items shall be replaced.</p> <p>3.3. Warranty Period: at least one year.</p> <p>4. Payment and Delivery Terms</p> <p>4.1. Price is inclusive of government taxes, delivery, etc.</p> <p>4.2. Delivery: 60 days upon issuance of NTP.</p>	4	pc	575.00	2,300.00
13	<p>Cable for Solar Panel</p> <p>1. Objective</p> <p>1.1. Item will be used for the installation of LED lamps within DOST-ASTI premises.</p> <p>1.2. The specifications written here are of minimum requirements, unless otherwise stated.</p> <p>1.3. Item is required to be at least 10 pieces in quantity.</p> <p>1.4. Scope of service: supply and delivery of Electrical</p>	5	roll	12300.00	61,500.00

	<p>Cable for Solar Panel.</p> <p>2. Technical Specifications</p> <p>2.1. #14/2C</p> <p>2.2. 2.0mm x 2C</p> <p>2.3. 75m per roll.</p> <p>2.4. Suitable for solar panel use.</p> <p>3. Warranty</p> <p>3.1. Supplier warrants the item against defects in manufacturing and shipping and delivery issues.</p> <p>3.2. Defective and incorrect items shall be replaced.</p> <p>3.3. Warranty Period: at least one year.</p> <p>4. Payment and Delivery Terms</p> <p>4.1. Price is inclusive of government taxes, delivery, etc.</p> <p>4.2. Delivery: 60 days upon issuance of NTP.</p>				
14	<p>Flexible Electrical Conduit.</p> <p>1. Objective</p> <p>1.1. Item will be used for the installation of LED lamps within DOST-ASTI premises.</p> <p>1.2. The specifications written here are of minimum requirements, unless otherwise stated.</p> <p>1.3. Item is required to be at least 10 pieces in quantity.</p> <p>1.4. Scope of service: supply and delivery of Flexible Electrical Conduit.</p> <p>2. Technical Specifications</p> <p>2.1. Dimensions: 20mm (3/4") x 50m</p> <p>2.2. Material: PVC</p> <p>2.3. Corrugated, flexible</p> <p>2.4. Suitable for outdoor use.</p> <p>3. Warranty</p> <p>3.1. Supplier warrants the item against defects in manufacturing and shipping and delivery issues.</p> <p>3.2. Defective and incorrect items shall be replaced.</p> <p>3.3. Warranty Period: at least one year.</p> <p>4. Payment and Delivery Terms</p> <p>4.1. Price is inclusive of government taxes, delivery, etc.</p> <p>4.2. Delivery: 60 days upon issuance of NTP.</p>	10	roll	950.00	9,500.00
15	<p>Flexible Conduit Clamp</p> <p>1. Objective</p> <p>1.1. Item will be used for the installation of LED lamps within DOST-ASTI premises.</p> <p>1.2. The specifications written here are of minimum requirements, unless otherwise stated.</p> <p>1.3. Item is required to be at least 1 pack in quantity.</p> <p>1.4. Scope of service: supply and delivery of Flexible Conduit Clamp.</p> <p>2. Technical Specifications</p> <p>2.1. PVC Clamp</p> <p>2.2. Size: 3/4"</p> <p>2.3. 100 pcs per pack</p> <p>3. Warranty</p> <p>3.1. Supplier warrants the item against defects in manufacturing and shipping and delivery issues.</p> <p>3.2. Defective and incorrect items shall be replaced.</p> <p>3.3. Warranty Period: at least one year.</p> <p>4. Payment and Delivery Terms</p> <p>4.1. Price is inclusive of government taxes, delivery, etc.</p>	1	set	250.00	250.00

4.2. Delivery: 60 days upon issuance of NTP.

TOTAL APPROVED BUDGET FOR THE CONTRACT (ABC):

Php 138,350.00

GUIDELINES

A. Content and Format of Quotations

1. The Quotation/s must include the RFQ Number or the PR Number indicated above.
2. Bidders must specify the BRAND NAMES and MODEL NAMES/NUMBER for the following goods:
 - a. Computer and electronic equipment and its accessories or peripherals
 - b. Software applications, programs, and digital licenses
 - c. Commercial off-the-shelf electronic devices or components
3. The Quotation/s must indicate the registered business name of the company (or individual), business address and contact number. It must also include the full name and signature of the company's authorized representative.
4. BIR Certificate of Registration for new DOST-ASTI suppliers.

B. Eligibility Requirements

Pursuant to Annex "H" or Consolidated Guidelines for the Alternative Methods of Procurement of the 2016 Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184, the following documents shall be submitted except for Repeat Order, Shopping under Section 52.1(a), and Negotiated Procurement under Sections 53.1 (Two-Failed Biddings), and 53.5 (Agency-to-Agency):

For Procurement of Goods

1. Upon submission of quotation
 - a. Valid PhilGEPS Registration Number / Organization ID
 - b. Valid Mayor's/Business Permit
2. Upon issuance of Notice of Award (NOA)
 - a. Omnibus Sworn Statement (shall be required only for procurement projects with ABC above P50,000.00)
 - b. Income/Business Tax Return (For ABCs above P500,000.00)

For Procurement of Infrastructure

1. Upon submission of quotation
 - a. Valid PhilGEPS Registration Number / Organization ID
 - b. Valid Mayor's/Business Permit
 - c. Valid PCAB License
2. Upon issuance of NOA
 - a. Omnibus Sworn Statement (shall be required only for procurement projects with ABC above P50,000.00)
 - b. Income/Business Tax Return (For ABCs above P500,000.00)

*Requirements under Section 53.6 (Scientific, Scholarly or Artistic Work, Exclusive Technology and Media Services) of the revised IRR of RA No. 9184 will not apply to artists such as singer, performer, poet, writer, painter and sculptor who are engaged in business.

**Requirements under Section 53.10 (Lease of Real Property or Venue) of the revised IRR of RA No. 9184, specifically Mayor's/Business Permit, PhilGEPS Registration Number and Income/Business Tax Return will not apply to government agencies as lessors.

***For methods of procurement requiring Mayor's Permit and PhilGEPS Registration Number, valid Certificate of Platinum Membership may be submitted in lieu of the said documents.

C. Terms and Conditions

1. Additional requirements, if necessary, may be requested by the BAC depending on the item to be bid;
2. All transactions are subject to creditable withholding tax and final Value Added Tax or percentage tax per revenue regulation/s of the BIR;
3. Liquidated damages of at least equal to one-tenth of one percent (0.001) of the cost of the unperformed portion for every day of delay shall be imposed by the DOST-ASTI pursuant to Section 68 of the revised IRR of RA No. 9184; and
4. The DOST-ASTI reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at